R610.02 W57c

Room

This issue contains AUGUST INDEX

CURRENT LIST of MEDICAL LITERATURE

Vol. 11 August 30, 1946 No. 7-A

THE CURRENT LIST OF MEDICAL LITERATURE is designed primarily to serve the individual, by enabling him to glance each week at the contents of journals in his field, and to find each month, through the subject index, articles on subjects in which he is interested which have been published elsewhere.

It is also designed to be an interim aid to the librarian between appearances of other indexes of more permanent value. The subject-headings are those of the Quarterly Cumulative Index Medicus, to which the reader should refer for necessary cross references.

Available to personnel and installations of the Medical Corps and allied services on request addressed to the Director, Army Medical Library, 7th Street & Independence Ave., S.W., Washington 25, D.C.

THE ARMY MEDICAL LIBRARY
Washington, D. C.

The CURRENT LIST OF MEDICAL LITERATURE if ro sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C., $3.00 per year ($3.75 foreign) 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents at the above address.

Published weekly by the ARMY MEDICAL LIBRARY 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the War Department. Lists all articles of medical interest contained in current periodicals received. Subject-indexes provided monthly. EXCHANGE INVITED.

SUBJECT INDEX
for

Vol. 11 Nos. 4-7 (pp. 161-400)

August, 1946

(Based on the schedule of subject-headings
(used by the American Medical Association's
(Quarterly Cumulative Index Medicus.)

ABDOMEN, abnorm. & deform.,216s; acute cond., 168i,207v,255m; blood supply,395-1; dis.,302k; distention,244o; infiltrations,198e; pain,222s,244a, 245n,311i,355u; paracentesis,250k; pressure, 269g; surg.,220o,221v,250-1,302q,310p,319g,360h, 386t,393a; tumors,218v; wounds & injur.,223b, 256n,271n,304k,372f.
ABNORMALITIES & DEFORMITIES,292o; gastroschisis,216s; in animals,399u; heredity,398o.
ABORTION,cpl.& seq.,186a,316m; criminal,304o, 357a; etiol.& pathogen.,242u,248o,292p,362a; ethics,248k; infectious,207j,275o,278t,389b, 399c.
ABSCESS, perianal,220d; subphrenic,186n
ACANTHOCEPHALAN,258q
ACCIDENTS,306s; industrial,350g,379g,m; mine, 297q; statistics,298c,391a
ACETONE,determ.,384a
ACETONEMIA in cattle,277p
ACHONDROPLASIA, etiol.& pathogen.,258a
ACID, acetic,164b; aconitic,252h; adenylpyrophosphoric,251s,257d; aliphatic,335j; aminobenzoic, 163v,165m,179k,229e,285o,p,370n; butyric,166a, 294j; fatty,164w,228v,334j,336k,343s,348v,373k; fumaric,334p; galacturonic,284h; gluconic,335k; glucuronic,334p; glutamic,336o; hippuric,334f; hydroxyketo,337a; ketoglutaric,335p; lauric, 324q; linoleic,282k,334v,337c; linolenic, 337c; mandelic,274o; myristic,324q; oxalacetic,337b; oxalic,185b; periodic,337a; phenylpropionic, 382q; phytic, 333v; pteroylglutamic, 337e; pyruvic,211b,334p,335t,336v; thioglycolic,183e, 246f; thymonucleic,330o; veratric,334e; volatile,282-1
ACID BASE EQUILIBRIUM,210h,229a,251r,320t, 326-1,q
ACIDOSIS,336m
ACNE rosacea,196i
ACONITINE,252h
ACRANIL,273v
ACRIDINES,232g
ACROCEPHALY,204k,293j
ACRODERMATITIS,235a
ACRODYNIA,234d; in inf.& child.,249i
ACROERYTHROSIS,224a
ACROMEGALY,history,247f
ACTINOMYCES,cult.,228m,n
ACTINOMYCIN,228d
ACTINOMYCOSIS,198r,360r; bronchopulmonary, 318m; endocardial,283c,283d; hepatic,365p; peritoneal,365p
ACYLATION,164j
ADANSONIA,255d
ADDISON'S DISEASE,in inf.& child.,209s
ADOLESCENCE,374e
ADONITOL,227g
ADOPTIONS,307s,389r
ADRENAL PREPARATIONS,303b,308t,332h; determination,177b; eff.,285a,b,321r,382k; pharm., 306n; storage,358h; therapy,341c
ADRENALS,hemorrhage,206v,319p; hypersecretion, 239m; metabolism,283v; physiol.,259v,291r,u, 326e,330i; secretion,251u,284u,v,321i; surg., 219e
ADRENOCHROME,284u,v
ADVERTISEMENT,315n
AECULUS,171k
AEROSOLS,211k,324g
AGAR,eff.,228w
AGE,326f,346f,h; biochem.,346g
AGGLUTINATION,298o,348q; hemoagglutination, 176t,181j,240r,251n,252g,257n,331i,365h,380j; heteroagglutinins,281q; leukoagglutination, 296-1
AGRICULTURE,257q
AIR,bacteriol.,230t,231-1,m,298s; impurities,232m; pressure,330w,370o,387a,400m
AIR RAIDS,246o
AIRCRAFT,design,225u
ALBUMINURIA,diagn.,206n
ALCOHOL,355b; eff.,321r; isopropyl,172j; pharm., 324u; production,228k
ALCOHOLISM,187t,264i,304n,318h,321q,378d; acute, 185t,318h; cpl.&seq.,245n; exper.,382u; legisl., 321t; therapy,238k,321s
ALCOHOLS,284w,286g,286h,286i,286j; amino,325e; 331n
ALDEHYDES,336q
ALFASOL,205k
ALGAE,216e,266e; cult.,259a
ALKALI,210i; therapy,326-1,383q
ALKALOIDS,eff.,284c
ALKALOSIS,muscles,183q
ALLANTOIN,therapy,361o
ALLOXAN,eff.,251j; tox.,206w
ALOE,340i,383m
ALOPECIA,341u,374v
ALPHATHERAPY,267q
ALTITUDE,251m,299c,370o
AMALGAMS,290d,336u
AMBULANCES,238-1; boat,320n
AMEBIASIS,192f,247p,305e,320c,354a; cpl.&seq., 313p; epidemiol.& statist.,168q; prev.& control, 273w; pulmonary,193h,358d; ther.,240e,273r, 308e
AMENORRHEA,260j,292c; ther.,179m
AMINES,164i,210-1,285a,b,p,q; sympathomimetic, 325i; transamination,165o
AMINO ACIDS,165f,284f,j,285o,334-1,335v,336q, 343t,349d; bacteria,226p,227c; determ.,336g; eff.,336d; metab.,325u,337d; standardization, 258v; ther.,249a,328f
AMINOBENZOYL DIETHYLAMINO ETHANOL,330v
AMINOPHENYLSULFAMIDE,255e

AMINOPYRINE,tox.,305r
AMINOTHIAZOL,297g
AMMONIUM, quaternary salts,165a,201t,228w
AMNESIA,260n
AMPUTATION,216v,268p,269s,318o,320n,352m
AMPUTATION-STUMP,352m; pain,261k
AMYLASE,206m,228j,k
AMYLOID,207e
AMYLOSE,164w
ANALGESICS,211e,250g
ANAPHYLAXIS & ALLERGY,248u; cellular transfer,231p; cpl.& seq.,235g; cutaneous,395q; diagn., 314v,317u; etiol.& pathogen.,326r,331d,360r, 363o,370o; exper.,229u,257m,295s,326r,327c; in inf.& child.,208i,j,380p; in twins,246c; mechanism,175o; pathol.,382p; serum & vaccine,185b, 246c,342q,382o; surg.asp.,176c; ther.,252f,263s, 307q,357l,379w,380a,381t,383k
ANATOMY,219i; history,170u,v; methods,288o
ANDROGENS,eff.,225d,252d,291u,382-1; ther.,269w, 292a,c,293w
ANEMIA,erythroblastic,209o,242e,262u; etiol.& pathogen.,291k,313p,336v,388n; heart,313s; hemolytic,175p,207q,341p,345p,365h; hyperchromic,316f; hypochromic,360-1; in inf.& child.,241r; in pregnancy,249f,376f; infect., 349i,399m; sickle cell,352p; splenic,193c; therapy,184o,p,208s,242v,306r,311j,330m, 373p; tropical,304v
ANEMIA, PERNICIOUS,194r; etiol.& pathogen., 345o; heredity,345o; nursing,203s
ANESTHESIA,218j,269q,270v,300c,378d; anesth. box,219t; app.,192d,219t; barbital,187c,d,221v, 242m,n,256q,268o,269-1,300u,360h,367-1,374b; blood,269m; cpl.& seq.,219u,w,221a,234k,269-1, 269o,299u,300a,315k; conduction,319d; controlled-respiration,300c; curare,272j,313k,314v; cyclopropane,180w,317k; ether,325g,338d; fatalities,219s; general,302a; history,300d,e, f,h,383n; hypnosis,300i; in Argentina,300h; in dentistry,339b,c,j; in France,300g; in geriatrics,272k; in gynecol.& obstetrics,170n, 190f,237o,250m,268q,302b,363b; in mil.med., 219s; in minor surg.,219u; in ophthalmol., 219p; in Spain,300g; in thoracic surg.,219q; in tropical med.,313j; intratracheal,313f; local,174m,269j,299t; morphine,299v; pharm., 174-1; premedication,218j,219p; procaine,219p, 221a,301s,316v; pyridium,219r; rectal,300i; spinal,176g,221a,261k,268q,317v; stellate,192p; teaching,300j; technic,198p; trichlorethylene, 300b,353i
ANEURYSM,abdominal,186u; aortic,223r,305c; arteriovenous,222j,374k; basilar,208t; carotid,192w,267u; cerebral,202q,374k; congenital,208t; palmar,268r; popliteal,367r; renal,397h; syphilitic,271m
ANGINA, LUDWIG'S,358m
ANGINA PECTORIS,diagn.,183c; manifest.,283o; pathol.,368p; therapy,182p,283q,368-1,370v
ANILIDES,252h
ANIMALS,dis.,400m; domestication,292g; feeding,277g; muting,277d; poisonous,325p; transportation,277d,e
ANKLE,fractures,185g,301r; sprains,394f; surg., 319s
ANOSOGNOSIA,375i
ANTERGAN,341c
ANTHRACENE,383m
ANTHRAMINE,324c
ANTHRAX,370c; bacilli,226s,334s,u,349j; vaccine, 399c
ANTHROPOLOGY,161n,257k,299c; in Palestine, 261e; in Russia,281c
ANTHROPOMETRY,213e
ANTIBIOTICS,177c,199r,210q,228c,d,263u,264a, 273h,330j,351d,373a,378e,383i,384b,k,386a,u; chem.,335k; eff.,228f,g,294k,349-1; phanerogamic,177a; production,228b,o; resistance,227h; rubber effects,228i; toxicity,272s
ANTIGENS,162-1,229o,s,230i,m,o,295k,m,q,t,323v; circulating,252m; functional,298r; polyvalent, 229n
ANTIMONY,determ.,325j; metab.,325k; ther.,325-1
ANTIPYRETICS,250g
ANTISEPTICS,196r,201q
ANTS,genetics,201f
ANUS,abnorm.,186n; abscess,220d; cancer,327q; imperforate,216r; surg.,220p; ulcers,310b
AORTA,abnorm.,225n; dis.,194f; perforation,207a; roentg.,274g; stricture,250h,283n,306u,368-1; syphilis,341e
APERT'S SYNDROME,293j
APHASIA,175h,202d,205u,v,w; etiol.& pathogen., 353j; re-educ.,222q
APHORISMS,356k
APNEA,artificial,393w
APOPHALLUS,279m
APPENDECTOMY,302q
APPENDICITIS,acute,313o; classification,254-1; cpl.& seq.,179i; diagn.,190m; history,308o; pregnancy,182b; rheumatic,191r; therapy,320m
APPENDIX,cancer,171f; carcinoid,362j; gangrene, 216t; hernia,310f; parasites,269f
APPETITE,209p; disorders,323n
AQUEOUS HUMOR,chem.,257d,378n
ARACHNOID,infl.,261a
ARCHEOLOGY,British,200t; Nigeria,161m
ARGEMONE oil,304w
ARGININE,determ.,284o
ARLITAN,163p
ARMED FORCES PERSONNEL,318-1; battle deaths,318o; female,320i; training,385d
ARMS,artificial,320n; surg.,216j; wounds & injur., 217t
ARRHYTHMIA,auricular fibrillation,232r; auricular flutter,232t; extrasystoles,247e; ventricular fibrillation,232r,283-1
ARSENIC,chem.,163u; eff.,285m,334k; jaundice, 234u; therapy,240e,381j; toxicity,234u,235l, 245b,246o,297k,l,m,341i,j,k,342c,r
ARSON,323o
ART,372s,375s
ARTERIES,400k; abnorm.,225n,250h; carotid,249g, 366k; coronary,305u,326w; femoral,327k,359g; inflammation,304-1,367-1; occlusion,182h,305u, 370d; pathol.,328c; pulmonary,250h; renal,316k; retinal,370d; roentg.,267u; subclavian,351a; surg.,304-1
ARTERIOSCLEROSIS,316r; cerebral,260s,345u; coronary,305o; etiol.& pathogen.,345d; medial, 328c; renal,260s
ARTHRITIS,301i; blood,311n; etiol.& pathogen., 231t,v,367e; in inf.& child.,209h; surg.ther., 222-1; therapy,242k,251k,302n,365m
ARTHRITIS, RHEUMATOID,208o; blood vessels, 185-1; ther.,303r
ARTHRO-OCULO-URETHRO-PAROTID SYNDROME, 231t
ARTHROPODS, 396o
ASCARIASIS,ther.,277q
ASCARIS,extract,217d,327c
ASCITES,etiol.& pathogen.,194b,306n,358i; recurrent,253a
ASCORBIC ACID,290v,291m,344b; chem.,334h; defic.,270f,287v; eff.,185-1,200b; metab.,184g, 307o; sources,284b,344v; ther.,342u
ASPERGILLUS,201u
ASPHYXIA,traumatic,220f
ASTHENIA, neurocirculatory,242o,283g,358b

ASTHMA,cpl.& seq.,182u; etiol.& pathogen.,242o, 362a; surg.asp.,272g; therapy,197g,199o,307q
ASTIGMATISM,204v
ASTROLOGY,196o
ATAXIA, cerebellar,262a
ATHLETES & ATHLETICS,332-1,m; injur.,183b; women,248g
ATLAS,394g; abnorm.,302d; fractures,302d
ATOMIC ENERGY,180k,200o,210d,245v,257t,303a
ATOXYL,275i
ATROPHY,muscular,356j,374e; unilateral,322o
ATROPINE,eff.,219p,252d,325b; substitutes,299w
AUJESZKY'S DISEASE,276o
AUTOCOLLIMATOR,322c
AUTOMATISM,185u
AUTOMOBILES,drivers,350f
AUTOPSIES,182k,219s,347w
AVIATION & AVIATORS,accidents,225u; medicine, 166s,217o,225t,319t,338q(licensure)161t; metabolism,251m; parachutists,319c; physiol.& pathol.eff.,161r,188u,212b,p,246t,326g,370o,387a; psychol.asp.,200j; tests,161s; transport.sick & wounded,310w,319g
AZOBENZENES,232j
BACK,wounds & injur.,304e
BACKACHE,196a,220-1; etiol.& pathogen.,196j, 300r,328i,367d; therapy,176b,316t
BACTERIA,201i,330n; abortus&melitensis gr., 226j; acid-fast,162n,334a,355b; aerobacter, 179j; aerobacter cloacae,229-1; aerogenes capsulatus,177c,242t,329p,348i; anaerobic, 217t,228t,236q,348u (in animals) 275m; biology, 227h; chem.,165k,226p,227o,228v,330o,334a,s,u; clostridia,226m,o,227d,276i,349j; coli,162f,p, 181w,226u,227q,u,229a,329k,330n,392o (in fowl) 398t; corynebacteria,278f; crown gall,232n; cult.,162-1,p,226r,s,t,258e,291j,361-1; cult. med.,162r,226n,304u,329k,349d,358g; dried, 227s,251i; eff.phys.agts.,162h,228f,231p; eff. on viruses,298p; endococci,349a; enterococci, 227t,329p; filtrable,162m; funduliformis,194v; hemophilus,230v; identification,226h; interrelations,231i; lactic acid gr.,162r,165k,226w, 227s,288k,289c,329p,389c; megatherium,349f; metabolism,177a,226m,n,o,227a,c,d,228t,334o, 348g; metiens,201t; microscopy,227-1; morphol.,181w; mucosus capsulatus,231i,246m; mycobacteria,162h,226m,355b,295k,348g; myxobacteria,227g; neisseria,227o; parvobacteria,231h; pasteurella,276g; plectridium, 348s; pleuropneumonia gr.,227n,231i,328t; proteus gr.,227p,231i,300v; pseudomonas, 162i,226u,335p; purple,227a; pyocyaneus,227a; rhizobacteria,162c; size,227p; spectrum analysis,348e; spores,226-1; subtilis,227c,228e,251u; typhoid gr.,227f,g,229-1,p,304u,384q; viability, 227s
BACTERIOLOGY,227k; apparatus,162m; meth., 251i; teaching,231a
BACTERIOPHAGE,228-1,329h,i,j; antiphage,226i; megatherium,349f; staphylococcal,301w; typhoid,230e
BAKES DILATORS,270g
BAL,246o,257u,257v
BALANTIDIASIS,308i
BANANAS,200v
BARBITAL CPDS.,187c,d,294j; eff.,211b,325d; ther.,300u; tox.,352j,359w
BARIUM,eff.,331t
BARLEY,dis.,329u
BARRE'S REFLEX EXTENSO-PROGRESSIVE SYNDROME following trauma,261m
BARU,276d
BASIDIOMYCETES,177c
BATHS,whirlpool,318u
BEAN SPROUTS,284b
BEANS,329s,t; in diet,193n,o
BECKMAN SPECTROPHOTOMETER,165h
BED CLOTHING,oiling,231m
BEETLES,275u; vesicant,183f
BEETS,dis.,329v
BEHÇET'S SYNDROME, 351s
BELLADONNA,237u
BENADRYL,307q,383k; eff.,169f,g,325f; ther.,252f
BENCE-JONES PROTEIN,284t
BENTONITE,324r
BENZACRIDINES,232g
BENZENE,tox.,241o,297h,350n
BENZOATES,324t
BERIBERI,etiol.& pathogen.,313r; heart,178k,200f, 246b; in infants & child.,380r
BETA RADIATION,228p
BETAINE,201r
BETATHERAPY,267q
BETATRON,193c,267-1
BEZOARS,357d
BILE,211t; acids & salts,337b; extravasation,185d
BILE DUCTS,calculi,176g,220t,221e,243q,250v; cancer,176r,218m; cysts,185d,270b; dilatation,270g; dis.,195m, 199-1, 312-1,367h, 392o; motility,197h,243q,312d; obstruction,360o; roentg.,217v,392o; stricture,269a,271b,272u, 381b; surg.,216q,217s,v,218m,221e,f,243q,303m, 327o; tumors,193e,199h; wounds & injur.,217h, 327g
BILIARY TRACT,calculi,303s,394a; dis.,309p; physiol.,253f; surg.,176n,185d,188u,367h
BILIRUBIN,determ.,174n
BIOCHINOL,381j
BIOELECTRICITY,326i
BIOLOGY,in Italy,201d; in Japan,258n
BIOPSIES,240u,288e,305a,312f,334i
BIRDS,162w; dis.,228s
BISMUTH,addiction,341h; ther.,195n; ther.,342t, 353u; tox.,235i,338a
BLACKWATER FEVER,181m; epidemiol.& stat., 308k
BLADDER,abnorm.,217-1; calculi,224d,353k; cancer,206h,274g,353k; catheterization,366d; dis.,245m; diverticula,191u; drainage,274p; for.bod.,397-1; infl.,397i; paralysis,320e; roentg.,177k; surg.,303s; tumors,218t,354t, 397n; wounds & injur.,269u,v,304m,397-1
BLASTOMYCOSIS,175w; diagn.,252i; ther.,357m
BLIND,care,378e; -deaf,202f; rehabil.,379r; statist.,379c; war-blinded,175a; welfare,173s
BLINDNESS,ex anopsia in armed forces pers., 204o; in armed forces pers.,379s; prev.,189c, 379q,t; ther.,175a
BLOOD,365i; adrenaline,177b; ageing,346g; amino acids,165t; arginine,284o; ascorbic acid,168c,184g; bilirubin,174n,335a(in horses, 399i); calcium in animals,200o; cells,211u, 345-1; chem.,165t,284g,285-1,295h; chlorides, 310p; cholesterinase,285m,321e,330d,332r; circ.,184i,193w,194-1,283i,326q,328m,363r,267v, 395-1 (collateral,222h); coagul.,184f,211u,217d, 245u,248g,251b,e,283u,v,285n,301u,305o,321f, 331j,332-1,336s; diastase,222s; dis.,174-1, 189m; endocrine rel.,384s; fats & lipoids,187d, 382i; fibrin,165v,183r,t,u,252-1,257m,295m; formation,193c,225r,239n,248e,344c,354d; galactose,209m; glucuronic acid,165u; groups, 257n,302f,323v,364a (Rh,188f,190n,193t,242u, 246s,262t,293d,294a,302g,305h,316r,353b,369i); histamine,217d; in animals,200q; in insects, 285k; iodine,184e; iron,334i; ketone bod.,277p; lipase,285r; methionine,320u; nitrogen,222f, 249u,251j,260-1,295g; oxygen,334i,q,374i; paludrine,248f; penicillin,252-1; phosphatase, 165q,336n; phosphorus in cattle,200q; picture

BLOOD, picture
in animals,277p; placental,331u; plasma,183p, 284g,285-1,335c,d; platelets,230o; potassium, 331s; proteins,175q,179p,183e,p,196j,250m, 284a,s (Bence-Jones,284t),285-1,318s,327h, 335e,q,s,336p,398f; prothrombin,185a,208v, 269m,320s,336s; reaction,326-1; sedimentation, 191d,223v,245i,311m,n,o,p; sodium,331s; sulfonamides,252-1,312h,357m; tryptophane,336d; urea,295g; volume,184c,352f
BLOOD PRESSURE,304m; anesthesia,299w; pulmonary,194m; regul.,326j; retinal,202w; var., 291u,326j; visual meas.,300a
BLOOD PRESSURE, HIGH,301m,308r,360u,370b; blood circ.,283i; brain,192t; cpl.& seq.,184u, 310m; etiol.& pathogen.,333o,r,360w,363e; manifest.,357p; prognosis,359q; surg.ther.,310g; temperature,283i; ther.,171h,241i,360v,361a
BLOOD SUGAR,arteriovenous differences,168-1; hyperglycemia,357v; hypoglycemia,216p,246w, 322v,326f; var.,289h,345d
BLOOD TRANSFUSION,180w,220-1,272h,359c, 376q; albumin concentrate,175q; citrated blood, 190i; clinics,172g; cpl.& seq.,223u; defibrinated blood,319a; erythrocytes,175p; history, 249r; in gynecol.& obstetrics,237j,k; in pregnancy,242u; in surgery,222v; indications,191b, 310p; laboratory adjuncts,222v; plasma & serum,183p,301m; preserved blood,209o,256g, 360m; substitutes,392v; veterinary,399u
BLOOD VESSELS,400k; basal tone,222i; endothelium,382p; for.bod.,268w,273e; innerv.,392p; pathol.,252b; peripheral,301i; spasm,356w; surg.,222h; wounds & injur.,372f
BODY,reserve capacity,355k; weight,184d,188p, 374a
BONES,abnorm.,204k,217n,394f; anat.& histol., 329e; atrophy,242f,267j,268h,290f,341q,362v; cancer,232c,272i,314b; dis.,303p,314n,315p, 359f,374d; growth,288o,289q,r,394d; marrow, 174-1,189o,v,193c,h,201w,207m,220c,232c, 240i,261t,304w,314b,345m,n; necrosis,391v; pathol.,315p; reentg.,391t; surg.,189r,217n; syphilis,353w; transplant.,273c,319j; tumors, 178r,219m,223e,287u,290f,313o,314b,326v, 359b; wounds & injur.,252s
BOOKS,restoration,347g
BORON,320t; determ.,206n
BORSTAL,364e
BOTRYOMYCES,341m
BOTULISM,329o,343g; toxin,226p,q,335o,349h
BOUVERET'S DISEASE,179p
BRACHIAL PLEXUS,311v
BRADTKE'S INDEX,312h
BRAIN,abscess,205m,209r,216m,218v,244m,261c, 261r,308c,315u; atrophy,202r,260m,313-1; blood supply,326q,374k,l,394v; chem.,188q, 335-1; cortex,202u,322r; cysticercosis,255b, 309v; degen.,253k (in animals,276k); dis.,310c, 362-1,375i; echinococcosis,261d; electroencephalography,260b,c,261g,374m (in inf.& child.,171g); extracts,283u,v; growth & devel., 333g; hematoma,186d,359o; hemorrhage,261i, 262u,310m,345u; localization of functions,322q; metab.,325m,334p,374i; necrosis,207h; pathol., 202r,u,322t; physiol.,212a,260b,325w,326n,q; roentg.,202j,v,222f,253k,260j,323h,374-1,391q,r, 392b; surg.,216n,261k,363b; syphilis,375i; tumors,202w,216m,239r,262c,322p,352t,374t,v, 375r,391q; wounds & injur.,205v,212m,256j, 302t,325w,394v
BRANCHIAL APPARATUS,300u
BREAD,167v,194p
BREAST,abnorm.,237q; cancer,170f,219j,223a, 232c,d,k,246k,269w,270w,271a,b,272-1,m,310d, 392e; develop.,331a; dis.,361n; hypertrophy, 179r,239m; infl.,197s,318a; Paget's dis.,314h; roentg.,219j; surg.,170f,220b,293q; tumors, 218f,219j,220g,270j,p,w,272-1,340n,393-1
BRIEN KING OPERATION,363j
BROAD LIGAMENT,292s
BROMINE,320r
BRONCHI,cancer,199n; dilatation,186g; dis.,205j; embryol.,258w; pharmacol.,285a; tumors,245-1, 365j,397e
BRONCHIECTASIS,192b,271m; bilateral,302s; cpl. & seq.,207h; etiol.& pathogen.,346d; in infants & chil[d].,263f; ther.,187j
BRONCHOSCOPY,299k,363s,397e
BUCHENWALD,192v
BUIE'S OPERATION,319i
BULLFIGHTERS,wounds & injur.,316k
BURNS,blood nitrogen,222f; cpl.& seq.,175k,303f; first aid,203o; metab.,302b; pathol.,184r;shock, 200a; ther.,179u,188r,310p,370u
BUTANONES,211e
BUTTER,344h
BUTTER YELLOW,306j
BUTTOCKS,infarction,262b
BUTYLENE glycol,228-1
CADMIUM,eff.,289d
CALAMINE LOTION,324r
CALCANEUM,fract.,176i,394j
CALCIFICATION circumscripta,392g
CALCIUM,deficiency,252n; gluconate,179p; in diet,343o; metab.,247k,333v; silicate,258s
CALOPHYLLUM,340s
CAMPHOR, eff.,258c
CAMPS,204d,376g
CANCER,372p; blood chem.,354b; chorionic,170-1, 207d; clinics & hosp.,163f,183h,i,213t,314p, 360e; curability,388h; dental asp.,288e,338q; diagn.,175t,244v; etiol.& pathogen.,195f,207g, 232m,286m,353k,363m,371f; experimental, 230n,232g,k,l,324c,330t; immunity,230n; in animals,207c; in armed forces personnel, 320c; in inf.& child.,375w; metab.,165m,232j; metastases,195o; mouse cancer,232j; multiple primary,206h,232d; occupational,246e; pathol.,207i; precancerous cond.,207g,235n, 308a,341o; prev.& control,183j,240u,253t, 307s,316c; research stud.,232n; ther.,176h, 183h,188v,193k,197b,232-1,267q,268k,312a, 362m,392k
CANNABIS,260e
CAPILLARIES,373a; eff.drugs,184r; pathol.,185-1
CARBAMATES,164e
CARBOHYDRATES, chem.,165-1,336q; metab., 168k,245p,289n,345-1; ther.,168h
CARBON, heavy,227b
CARBON DIOXIDE, metab.,337b
CARBON DISULFIDE, tox.,350p,s
CARBON MONOXIDE, metab.,225s; mil.hyg.,200a; tox.,317m
CARBON TETRACHLORIDE, tox.,252e
CARBONIC ANHYDRASE, determ.,334s; eff.,334t
CARBUNCLE, ther.,218u; ther.,305b
CARDIA, cancer,313k; surg.,217v
CARDIOVASCULAR DISEASES,370w; electrocardiogr.,182q; etiol.& pathogen.,182r,351c; in inf.& child.,194-1; prognosis,359q; roentg.,178o; silent,194f; social asp.,296i
CARDIOVASCULAR SYSTEM,337h; function tests, 326j,381r
CAROTENE,284e
CAROTENOIDS,304c
CAROTID SINUS,175-1,185q,283o
CARROTS,168e
CARTILAGE, transplant.,221o,268v
CASEIN,284a,i

CASTRATION, eff.,331a
CATALASE,284k
CATARACT, bilateral,235g; chem.,284f; etiol.& pathogen.,204u; extraction,188k,355n,394p; membanous,204t
CATERPILLARS, biol.,282j,k
CATHETERS, indwelling,302h
CATTLE, dis.,276-1,277k,l,p,q,278n,398o; feeding, 398a
CATTLE PLAGUE,399b
CECUM, bacteriol.,162k
CELLOPHANE,271m
CELLS,292f,372p; argentaffine,255a; chem.,257a, 306i,j,k; division,323u,332w; irradiation,201e; nuclei,227q; types,225m
CELLULITIS, retropharyngeal,239j
CELLULOSE, 164e,258a; bacteriol.,227v; oxidized, 395u
CENTRIFUGE,296p,r
CERCARIA,279m
CEREALS,343f,h
CEREBELLUM, abscess,261q,r; degen. in animals,276k; physiol.,261h
CEREBROSPINAL FLUID,322u; copper,380q; pathol.,175t
CESALPINIA,239v
CESAREAN SECTION,365-1;indic.,243o; repeated, 248k; technic,328o; veterinary,276f,278m
CESTODES,258q,322k,369t
CHAIRS,392b
CHANCRE,diagn.,236h; ther.,195-1,328u,w,354p
CHANCROID,342b; epidemiol.& statist.,178t
CHARITIES, history,238s
CHARPY METHOD,342u,354n
CHEDIAK TEST,236e
CHEESE, bacteriol.,228a
CHEMISTRY,201e,286k,300r,344g; equilibria, 164g; history,355h; history of the word,321a; radiochemistry,373k; societies (Schweiz. Gesell.f.analyt.Chem.,344f); steric deform., 164v
CHEMOTHERAPY,193k,228f,272s,316p,324b,349-1
CHICKENPOX,241e,380p
CHICKPEAS,193o
CHILAIDITI'S SYNDROME,345q
CHILBLAINS,235a
CHILD WELFARE,213i,212v,213g,224o,t,324n, 349t,376a,377u; rural,208d
CHILDREN, educ.& train.,376i,377g; growth & develop.,190u,213e,315r; nerv.& ment.dis., 244w,262s; phys.defective,264o; psychol., 249b,324k,388m
CHILOMONAS,384p
CHLORINATION,164k
CHLORINE, tox.,304d,318e
CHLOROETHYL SULFIDE,284i,j,318f
CHLOROFORM, hist.,300f
diCHLORODIPHENYLTRICHLOROETHANE,167u, 191o,195h,i,203-1,211k,226c,d,279e,p,s,285t,v, 346k,398n; determ.,285u; eff.,252k; metab., 210w,251o
CHLOROPHYLL, ther.,245q
diCHLOROPROPANE, tox.,210v
CHLOROQUINE,318-1,359t
CHOCOLATE,344p
CHOLERA,309b; epidemiol.& statist.,162s; ther.,162s,355o
CHOLESTEROL, eff.,382i
CHOLINE,165m,201r; acetylcholine,175o,184q, 200v,284c,321i,331m,n; in diet,336-1
CHOLINESTERASE,325e,331c,332s,333w
CHONDRUS, 335k
CHOREA, canine,276k; hemichorea,356j; syphilitic,305e
CHORIOMENINGITIS, immunity,230j
CHROMATES,200c
CHROMATOGRAPHY,321o,334j
CHROMOBLASTOMYCOSIS,299r
CHROMOSOMES,169-1,m,t,170a,292f,321b,331-1
CHRONAXIA,285c,332-1,m; apparatus,295f
CHYLOTHORAX,271k
CICATRIX, 341v; dis.,340n; tumors,220o
CILIATES,281o,396c; division,384q
CILIOPHORA,400h
CINCHONA, alkaloids,382t,w
CINCHOLOIPONATES,164q
CINCHOPHEN,250r
CINNAMON,383b
CIVILIZATION,281d
CLAIRVOYANCE,385j
CLAVICLE, surg.,351a
CLIMACTERIC,243s,305-1,364t,w
CLIMATE,241c,243k,257t,299c,367e,395r; micro- 389k
CLINICS,296p
CLOTHES MOTHS,282i
CLOTHING, disinfection,300w; eff.,184h; impregnated,228c; protective,200a
COAGULASE, production,176w
COBALT, 333a
COCAINE, tox.,251h
COCCIDIOIDES immitis,226r
COCCIDIOIDOMYCOSIS,318m; of bone,193e; pulmonary,222t
COCCIDIOSE,276m; in animals,277t
COCKROACHES,333e
COD LIVER OIL, ther.,174q
COITUS,258m,264m
COLD, anesthesia,216v,244j,328d; eff.,211r, 282c,291p,295h,332o
COLITIS,ulcerative,192e,197k,244k,272d,e
COLON, abnorm.,272e; cancer,220a,270a,271s,t, 272b,e,308a,364j,369c; dilatation,392s; pathol., 327v; roentg.,271w,272a; surg.,222g,271r,272a, 272c,i,328b,360s; wounds & injur.,272f,320f
COLOR,182j
COLOR BLINDNESS,257o
COLOR PERCEPTION,257p,351a,378-1
COLOSTOMY,271u; roentg.,392b
COLOSTRUM, fat,334r; immunol.,336p
COLPIDIUM,384q
COMMUNICABLE DIS.,188d; epidemiol.& statist., 298h; prev.& control,254g,304f; therapy,355o
COMPARATORS,352f
COMPLEMENT,230q,349a; fixation,229s,236a, 265p,323w,348v; standardization,172o,p
COMPOUND 63,169f
CONDYLOMA,235b,342o; ther.,362r
CONJUGASE,165j
CONJUNCTIVA, pathol.,373u; tumors,232g
CONJUNCTIVITIS, gonorrheal,204-1; phlyctenular,178h; ther.,378o
CONSCIENCE,373u
CONSTIPATION,245i
CONSTITUTION,355k,367w
CONVALESCENCE,266e,294o
CONVULSIONS,208g; experimental,375o; pharm., 211c; therapeutic,252q,254o,259w,260a,j,p,v, 302e,317-1,365a,373u,375j
COOKING & EATING UTENSILS, sterilization, 227r
COPPER, eff.,334h; metab.,257v; prep.,281h; ther.,354c
CORN,165b; genetics,170b; ethnol.,373g; protein, 399d
CORN GERM,343q
CORN STEEPING LIQUOR,228o
CORNEA, conical,352s; pathol.,204i; transplant., 205a
CORONARY VESSELS, dis.,257g,283m; innerv., 353r

CORPUS LUTEUM,251t,292t; physiol.,225n
CORYLOPHILIN,330j
COSMIC RADIATION,257p
COTTONSEED MEAL,228o
COUGH,308n
COUMARIN,330s; maternal,336s; ther.,220g
COXOFEMORAL SYNDROME,242w
CRAMPS,322o
CRANIO-PHARYNGEAL TRACT,260k
CRANIOLOGY,281d
CRANIUM,abnorm.& deform.,204k; cysts,322p; dis.,244m; fractures,189k,200h,196m; prosthesis,323d,e; surg.,190m,220d,222o,281d, 323i,374o; tumors,363u; wounds & injur.,323f
CREATINE, metab.,183v
CRESOL, pentacresol,196r
CRETINISM,352i,373v
CRIME & CRIMINALS,260e; prev.,309h; psychol. asp.,203a,c,323o; responsibility,202v
CRIPPLES,203g
CRUSH SYNDROME,397m
CRUTCHES,223g
CRYING,209-1
CRYPTOCOCCOSIS,175m,n
CURARE,300c; eff.,269k; ther.,203v,243t,269p, 368c,371j,372r,375j,384-1
CYANIDES, metab.,165i; tox.,330-1,335-1
CYCLOPROPANE,164s
CYCLOSTOMES,161e
CYSTEINE,248d; eff.,257w
CYSTICERCOSIS, somatic taeniasis,358c
CYSTINE,335w
CYTOCHROME,165i,334g
CYTOGENETICS,210h
DALHOUSIE UNIVERSITY,310v
DARLINGTON THEORY,332g
DEAF,-blind,202f; educ.,380b
DEAFNESS, etiol.& pathogen.,364e,353j; in aviators,246t; in inf.& child.,324i,380f; malingering,205-1; prev.,184-1; residual hearing,354g.
DEATH, sudden,243a
DECARBOXYLATION,337a
DEER, dis.,400m
DEFECTIVES,166k; employment,173n,p
DEFICIENCY DIS.,191s,267j,358c,374d; exper., 343r; in animals,375o; manifest.,287v,311g, 359m,363e; pathol.,286g,h
DEGLUTITION, disorders,191c
DEHYDRATION, blood,209b
DEHYDROGENASE,334g
DELINQUENCY,309h,323o
DELIRIUM,354q
DEMASKATOR,205-1
DEMENTIA PRAECOX,202m; endocrine gl.,260j; etiol.& pathogen.,202i; psychopathol.,239k
DEMEROL,302b
DEMING'S OPERATION,240m
DENGUE,362b; epidemiol.& statist.,247t,332p
DENTIFRICES,167k,288b,i
DENTISTRY,234-1,287f; clinics,290s; economics, 338w,290o; educ.,338r,339i; equip.,338v;hist., 337r,347d; hygiene,290o; in India,337u; in Spain,233d; mil.& naval,255r,288h,338q,s,339-1; pediatric,338g,339n,q; pub.health,167n,297d, 309p
DENTISTS, Negro,390k
DEPRESSION,254o; diagn.,212m
DERMATITIS, herpetiformis,224b,235f,h,291d, 294g; inhalation,173h; pigmentary progressive, 357t; venenata,305q,389d
DERMATOLOGY,179c,339u; congresses,224c; diagn.,196d
DERMATOMES (instruments) 218c,e,270t,o,314g, 393e
DESOXYEPHEDRINE,210q
DETERGENTS,204o,265n
DEUTERIUM,162o,344i
DEXTRANS,231n,392v
DEXTRINS,335h
DEXTROSE,184b,382k; glycolysis,334m,335-1, 355e
DIABETES MELLITUS, acidosis,168h; blood sugar,345d; classific.,352p; coma,302t; cpl.& seq.,168i,j,326u,365t; dental asp.,299f; etiol. & pathogen.,168i,187d,264f,345c,362o,363u, 365d; in animals,278-1,399q; in inf.& child., 207v; metab.,206m; pathol.,206w; pregnancy, 248n,253b; teeth,167e,289h; ther.,243p,302m, 345f,357h
DIAGNOSIS,206q,301d,381w; methods,369u; physical,177s; self-diagnosis,388i
DIAPHRAGM, eventration,237q; perforation, 365p
DIARRHEA, epidemic,372i; etiol.& pathogen., 271w; in armed forces personnel,345h; in inf.& child.,253t,356r; therapy,174w,187-1, 265-1,345g,358c
DIASONE,390t
DIASTASE,335h
DIATHERMY,174o,191n,294g,332i; homeopathic, 171p; surgical,166u
DIATHESIS, hemorrhagic,209e,211u
DICROCOELIIDAE,247o
DIET, adequate,193n,209p,390g; eff.,326b,336-1; food shortages,168a; New Zealand,255s; institutional,294w; low protein,301s; mil.& naval, 199v,200g; psychol.asp.,264k; purified,162k; restricted,343v,358c
DIGESTION, physiol.,273a,282-1
DIGESTIVE TRACT, cancer,218c,245h; dis.,189a, 244a,247f (in animals,276b) 368p,369u; physiol., 211t; syphilis,309s
DIGITALIS, ther.,190t
DIMITRI'S DISEASE,352t
DIPHTHERIA, bacilli,228g,277-1,386e; cutaneous, 283j,374h; heart,184-1,283j; immunity,209v, 383s; prev.& control,215-1,297c,318q,369b; ther.,215-1,228c,329n,353i; toxin,201a,332r; toxoid,246c
DIPLODINIUM,400g,h
DISABILITIES,375i
DISABLED, rehabil.,296q
DISASTERS,294o
DISCHE REACTIONS,201e
DISEASE,247-1,355k; biol.,162w,186o; chronic, 187i,387o; phys.-mental rel.,177r,194b,202a, 259h,304j,338r,369d,374o,397u
DISHWASHING,265n
DISINFECTANTS,172j; eval.,229c
DISINFECTION,229a,300w,355b; floor oiling,231m
DISLOCATIONS,171p
DISTEMPER, virus,277s
DISTOMIASIS,314s
DIURESIS,inhibition,312g
DOGS, dis.,276k,277-1,s,278d,k,399q
DREANO'S FORMULA,395o
DRESSINGS, nonadherent,217i; pressure,163-1
DRUG INDUSTRY, in Brazil,304h; in France,296-1
DRUGS, addiction,260e,341h,342b; containers,384d; eff.,174m,212c,265v,294w,304b,324p,325m; eruptions,235c,i,340e; legislation,237c,384c, 390q; liquids,324u; preservation,324u; stand., 210h,l; vehicles,324p
DUCKS, dis.,248f,277f
DUCTUS ARTERIOSUS, 244r,318d
DUELLING,253m
DUODENUM, bacteriol.,300t; blood vessels,217g; cancer,273b; diaphragm,391u; dilatation,217e; dis.,180-1; obst.,269d; roentg.,267h,p,316g, 317e; stricture,221d; surg.,218h,220b,221g, 361u; wounds & injur.,268n

DWARFISM,324i,375q; renal,333r
DYES,324b,348u,382v; tox.in inf.& child.,209q
DYSENTERY,316o; bacilli,162d,227e,231o,265i, 295j,298o; cpl.& seq.,231t; epidemiol.& statist., 240e; gallinarum,228s; immunity,230g,h,i; ther.,227j,265-1,300s,309b
DYSMENORRHEA,220w; etiol.& pathogen.,362a, 370s; ther.,310c
DYSPNEA,242o
DYSTROPHY, hereditary,243w; muscular,261j; pluricarencial hydropigenic,209e; reflex sympathetic,272q
EAR, allergy,205k; bacteriol.,162i; dis.,307q, 380c; internal,205k,o,314d,322t; ossicles, 261-1; surg.,268m,393o; tumors,314d; wounds & injur.,205o,364e
EARMOLD,262i
ECCHYMOTIC MASK,220f
ECHINOCOCCOSIS,354w; allergy,368t; epidemiol. & statist.,319r
ECLAMPSIA, diagn.,184a; ther.,305f
ECOLOGY,257t
ECONOMICS, MEDICAL,190b,298e,304q,346i, 360m,364b,379g; history,366p; plans,298e, 386h
ECTODERM, transplant.,282d
ECTROMELIA, virus, 172m,176t
ECZEMA,247-1,340f; blood,223v; in inf.& child., 180s; ther.,163-1
EDEMA, angioneurotic,339v; epidemiol.& statist., 187-1; etiol.& pathogen.,184c; malignant,176o; prev.,184r; pulmonary,197g
EDUCATION,398g; mil.,318-1; psychol.,202p,204a, 212h
EDUCATION, MEDICAL,245v,308k,350q,367s, 370v; hist.,301a; in Poland,191j; in U.S.,317h; institutes,202p
EGG-POWDER,343e
EGGS, bacteriol.,248f,343j,k
EGGWHITE,335h
EIMERIA tenella,276m
ELBOW, ankylosis,392q; artificial,320n; disloc., 394h; tumors,269e; wounds & injur.,222n
ELECTRICITY, eff.,278h
ELECTRONS, 201h,256t; models,258b
ELECTROPHYSIOLOGY,326i
ELECTROTHERAPY,174o
ELEPHANTIASIS, postoperative,216v
EMBEDDING,288o
EMBOLISM,262b; coronary,357r; etiol.& pathogen.,182h; fat,269o; pulmonary,186o,283f,397t; therapy,190h,315-1
EMBRYOLOGY,225o,282d,333d,369t,384t,400-1; chem.,165g
EMERGENCIES,238-1; medical,253-1; surgical, 219w
EMETINE, admin.,273r
EMOTIONS, disorders,350v,355u
EMPHYSEMA, etiol.& pathogen.,182u; mediastinal,178c,240h
EMPYEMA, in inf.& child.,209u,381f; ther.,220k, 222k,310s,312m; tuberculous,194o
EMULGENTS,383h
EMULSEPT,324q
ENCEPHALITIS, assoc.dis.,190n; etiol.& pathogen.,183b,185f,314r,341i,381n; ther.,260-1; tropical,310c
ENCEPHALITIS, EPIDEMIC, virus,306d
ENCEPHALOMYELITIS, allergic,229u; equine, 172r,229v,240o,298p; in animals,275n; Theiler's,230f
ENCEPHALOMYOCARDITIS, virus,229w
ENDAMEBA, histolytica,181o,247p,273w
ENDOCARDITIS, acute,252w; cpl.& seq.,244r; etiol.& pathogen.,185q,241v,282c,d,302d; infect.,231n,252v,380u; ther.,208r,241s,244q, 317j,352d,j,361i,369f,377i
ENDOCOCCI, moriformis,349a
ENDOCRINE GLANDS,355g,361t; ageing.345w; allergy,370s; physiol.,212b,368m
ENDOCRINOLOGY,192-1,353v; hist.,195u
ENDOMETRIOSIS,171v; rectovaginal septum, 314g
ENDOMETRIUM, blood supply,225d; physiol., 292s; transplant.,254j
ENDOSCOPY, 365u
ENERGY,200o
ENTERITIS, feline,230d
ENTEROKINASE,183r
ENTOMOLOGY, taxonomy,279o
ENZYMES,165p,211g,291i,334f,g,336i,j; assay, 226h; bacterial,162h; chem.,284r; eff.,320u; proteolytic,183r,s,284e
EOSINOPHILS,182t,206u,358f,369s,380k; tropical,192w
EPHEDRINE, eff.,285b
EPHESTIA,282k,334v
EPIDEMIOLOGY,174f,318p,386i; Europe,298h; history,389m
EPIDERMOID,322p
EPIDERMOLYSIS,bullosa,234t,235e
EPIDIDYMIS, dis.,311t
EPIDIDYMITIS,187f
EPIDIDYMO-ORCHITIS, epidemic,187e
EPILEPSY,310i; etiol.& pathogen.,308p; exper., 375o; history,353h; malingering,255c; prev. & control,395u; social welf.,323k
EPIPHYSES, separation,267w
ERGOGRAPH,201s
ERGOT,373a; alkaloids,196u,263q; ther.,250i
ERYSIPELOID,in turkeys,277a; swine,276d,278o
ERYTHEMA, centrifugum annulare, 291d; gyratum perstans,291d; morbilliform,341i; multiform,235n,341t
ERYTHROBLASTOSIS, fetal,179s,193t,206g,331u, 369i
ERYTHROCYTES, agglutinogens,257n; allergy, 382p; chem.,285-1; count,206p,382-1,384s; extracts,162q; measurement,179f
ERYTHRODERMA, ther.,245b
ERYTHROSIS,224a
ESOPHAGOSCOPY,369e
ESOPHAGUS, artificial,216o; cancer,207a,253g, 309k,311u,327f,392t; cysts,205p; dilatation, 217u,352t; perforation,199p; spasm,221g; stricture,168u,209a,250e,324j; surg.,216o, 217u,v,272m; wounds & injur.,318b
ESTHETICS,212s
ESTROGENS, chem.,285e; determ.,324s; eff., 225d,274k,330f,332e,346f,367o; metab.,291s; synthetic,330s; ther.,246i,292b,317f
ESTRUS,330e,355h
ETHANOL, ther.,184r
ETHER,257b; hist.,300f
ETHICS,248k,307-1,384g
ETHMOID BONE, fract.,242a
ETHYLAMINO ETHOXY DIPHENYL,370v
ETHYLENE GLYCOL, tox.,193e
EUGENICS,237g,391n
EUGENOL,166j
EUMYCIN,228c
EUSTACHIAN TUBE, physiol.,262j
EXAGGERATION PHENOMENA,328g
EXERCISE, eff.,326j; facial,395q; therapeutic, 179o,192-1; underwater,192s
EXOPHTHALMOS,204j,206b
EXOSTOSES,394d
EXPECTORANTS,211a
EXPLOSIONS,301n,364e
EXTREMITIES, artificial,303e,318o,320n;

EXTREMITIES
paralysis,192r,222k,320e,394k; surg.,216j; wounds & injur.,397m
EYELASHES, depigmentation,198d
EYELIDS,328m; dis.,378o; spasm,300n; surg., 204u
EYES, accommodation & refraction,204w,205d, 378h; artificial,255u; diagn.value,188m,202w, 359m; dis.,198d,203s,204r,s,230d,231t,243w, 359m,364s,378w,379d; for.bod.,267g,379e; hygiene,379p; movements,302c; pain,363i; paralysis,202f,204j,262a,361f,378t; pathol., 189g; protection,200b; surg.,326k; transplant.,205a,282o; tuberculosis,209w; tumors, 311i; wounds & injur.,379h
EYE-SHIELDS,200b
FACE, abnorm.& deform.,166k,268v; atrophy, 342n; cancer,313c; dis.,176o; exercise,395q; fractures,200h,233r; infect.,289u; prosthesis, 393i; surg.,189c,220d,303-1,340t; wounds & injur.,199j,269i,286t,337q
FALLOPIAN TUBES, cysts,255m; surg.,293o; tuberc.,366v
FAMINE,306n,343c
FARMERS,350b
FASCIA,328i
FASCIOLA hepatica,247v
FASTING,316p,336m
FAT, age & sex,209j; chem.,334r,337c; determ., 210m; in diet,175p,286m,343v,336-1; metab., 168k; 279q,313t,336-1,382i; vegetable,344a
FATIGUE, chronic,309v
FEAR,322g
FECES, bacteriol.,181o,332f,355w; biol.,396c; fat,313t; fungi,253u; incontinence,220p
FEEBLEMINDEDNESS, heredity,373w; nevoid, 352t; phenylpyruvic,363a,375q
FEMUR, abnorm.,394f; fract.,193h,253c; tumors, 381c
FERMENTATION,211g,228-1,228t,291j; bact., 162h,162o,348u
FERNANDEZ FIERRO TECHNIC,251c
FERTILITY,328n,397u
FETUS,201n; death,292k,292p; decapitation,293j; membranes,276t; retained,197h,357b; tumors, 300o
FEULGEN REACTION,201e
FEVER,305k; chronic,245f; obscure,332p; post-op.,356v; therapeutic,178c,184t
FIBERGLASS INDUSTRY,297i,j,k
FIBRIN,284a,295m
FIBRINOLYSIN,165v,183r
FIBULA, fract.,183b
FIGUEROA ALCORTA OPERATION,223-1
FILARIASES, blood,251n; epidemiol.& statist., 185f; exper.,373m; therapy,325-1
FILTERS, bacteriological,162m
FINGERPRINTS,174d
FINGERS & TOES, abnorm.& deform.,169u,293j; amputations,268p; dis.,184u; fract.,394-1; hallux valgus,223c
FINOCHIETTO INCISION,250q,270-1
FIRST AID,203o
FISH,237w
FISHES,biol.,282f,g,h,384r;metab.,331o
FISTULA, artificial,326r; biliary,221g; esophagobronchial,253b; esophagotracheal,369q; maxillary,286v; perineal,170k; rectoperineal,218g; tracheoesophageal,209a; tuberculous,370r; ureterocolic,354t; vesicovaginal,223-1,m,n, 252t
FIXATIVES,201s
FLATULENCE, in animals,279j
FLAVAZOLE,324b
FLAVONES, anti-,330r; eff.,331d
FLEAS,229m; transmission of dis.,276u,349i
FLIES, collection,226e; eradication,167u,211k
FLOUR,168c,257c; chem.,284e; 344q
FLUIDS,184a,308t; admin.,222u; groups,281q; irradiation,230s; pathol.asp.,258a; pharm., 324u; ther.,249a,326v
FLUORAPATITE,290c
FLUORESCENCE,246j,k; dermatol.use,196d
FLUORIDES,189v,250c,277q,338j; eff.,201c; geogr.surveys,288c; ther.,167c,288i; tox., 276w,288s,290r
FLUOROACETATE,325c
FLUOROPHOSPHATES,336j
FOOD,344b; allergy,192k,242t; bacteriol.,231k; cooking,291-1; dehydration,344i; frozen,231k; legislation,390q; hygiene,278-1; inspection, 276-1; pois.,301w,329p,387p; preserv.,291m; substitutes,344j; waste,291k
FOLIN-WU FILTRATES,184v
FOLKLORE,202a
FOOT, botryomycoma,195o; deform.,176m, 382c,395o; dis.,382d; flat,265v,w; pain,363d, 363e,; static disorders,196h; trench (immersion)199w,326c
FOOT & MOUTH DISEASE, epidemiol.& statist., 277e; virus,348o
FORAMINOTOMY,392r
FOREARM, dis.,312f; tumors,270-1,r
FOREIGN BODIES, in air & food passages,218v, 248g,305u,314t,317m,318b,357d,362c,369e, 399v; localization,256c,267s,277f (in animals, 278s)
FORMALDEHYDE,164j; eff.,177c
FORMOSERUM,353s
FORMULARIES,325q
FOWL, dis.,275m,276m,398-1,t,399n; pois.,279f
FOWL PLAGUE,276i
FOWL TYPHOID,399t
FOWLER'S POSITION,187g
FOX-FORDYCE DISEASE,367w
FOXES,277r
FRACTURES,372g; cpl.& seq.,222m; etiol.& pathogen.,242f,253c,315p; healing,355t; metab.,251v; sideswipe,217c; ther.,214b,221k,n,244s,246s, 256o,299p,363v,367d,370q,372c; ununited,271e
FRAMBESIA,242u; ther.,273s
FRANZ OPERATION,220p
FRONTAL BONE, osteomyelitis,244m; pathol., 314b
FRONTAL SINUS, dis.,244m,
FROSTBITE, cpl.& seq.,261o
FRUIT FLIES,279p
FRUITS & VEGETABLES, bact.,253v; frozen,168d; juice,344n,o; nutritive val.,193n,o
FUADIN,319-1
FUNGI,228b,253u; cult.,228j,k; pois.,211h
FUSOSPIROCHETOSIS,288t,337j; epidemiol.& statist.,176h
GALACTOSE,284h
GALLBLADDER, abnorm.,269d; allergy,168r,t; calculi,218k; cancer,218k; dis.,176g,186u,189a, 241d,244a,366e,393h,n,p; diverticula,220t; infl., 271e; pain,168u; roentg.,218p; roentg.,357w; surg.,204b,269d,272v,302k
GALLS,232n
GAMMATHERAPY,267q
GAMMEXANE,251w,251w,257h,279e,p,s
GANGRENE, etiol.& pathogen.,365t,366b; gas,230i, 241d,253w,256h,298q,324b; postoperative,176j
GANSER'S SYNDROME,239k
GARCIA TECHNIC,250u
GAS, pois.,318e
GASTRIDENTEROLOGY,175h,369u
GASTROENTEROSTOMY, cpl.& seq.,272o,268o; double,327i; technic,328b
GASTROINTESTINAL TRACT, bacteriol.,300t;

cancer,272i; dis.,265i; hemorrhage,305q,360k; motility,326o; obst.,217e; roentg.,267h,317e; surg.,220b,361u
GENERATOR, pulse,322a
GENITALS, cancer,183i,195o; dis.,187e; embryol., 384t; infections,328t; mycosis,293c; prolapse, 170f; tuberc.,170k; ulcers,351s
GENITOURINARY TRACT, parasites,308h
GEOGRAPHY, MEDICAL,254e; Aleutians,318s; Belgian Congo,174f; Guadalcanal,223d; India, 369-1; Palestine,181q; Santo Domingo,299-1
GEOLOGY,373c
GERIATRICS,346d
GERMANIN,232j
GERMICIDES,201q,t,228v,w,258n; eval.,229b; eff.,228f; inactivation,257w; tox.,272s
GLANDS, nerve supply,225c; unicellular,255a
GLASSES, contact,188b,378i; microscopic,205f, 379k; moist chamber,204q; pinhole,204q; telescopic,205f,379k
GLAUCOMA,302j; etiol.& pathogen.,182s; surg., 386v
GLAUCOMA (the genus) 396c
GLOBULIN, 335v
GLOVES,270q,393g,m
GLUCOSE,335q
GLUCURONIDASE,334p
GLYCERITES,190-1
GLYCEROL, bacteriol.,226u; chem.,334f; determ., 210k
GLYCEROPHOSPHATES,336e
GLYCOGEN, in liver & muscle,175d,314e,332d,e, 382m; in nerv.syst.,326f
GOITER, epidemiol.& statist.,304i; exper.,291t; intrathoracic,240m; pathol.,206v
GOITER, EXOPHTHALMIC, etiol.& pathogen., 204j; eye,189g; ther.,196r
GOLD, metallurgy,288q; ther.,340p; tox.,370e
GONADOTROPINS,314c; chorionic,330e; ther., 292t,370c
GONOCOCCI,328t; strains,224h
GONORRHEA, cpl.& seq.,340d; cure,224u; epidemiol.& statist.,398h; foci,355s; in inf.& child., 381-1; in pregnancy,237m,293g; ther.,194h,q, 223o,p,224g,h,o,p,q,254k,328v,340k,342q,t, 362q,371a,372k,381k
GRAINS, pests,226e,278i
GRAMICIDIN, chem.,334-1
GRANULOCYTOPENIA,253i,336d; etiol.& pathogen., 206e,241r,305r
GRANULOMA, annulare,340k; eosinophilic,290f, 380k; inguinale,230t,263i,310e,358n; pyogenicum,195o,341m
GRAPE JUICE,344m
GRENZ RAYS,341w
GROWTH,291j; diet,193n; disorders,202t; exper. stud.,251-1,282f,g,h,289r,293f,331p,343o,q,v; in trees,163a; inhibiting subst.,251-1; physiol., 211q; war factors,315r
GROWTH-SUBSTANCES,384p
GUMS, cancer,288e; color,288b; dis.,166m,337j
GUVACINE,164p
GYNECOLOGY,188o,243k,302q,328i; in French colonies,170j; pain,170o; surg.,328n
HABIT,376i; dental asp.,287k
HAIR, color,198d,257e,342c; excessive,239m; monilethrix,195p
HAIR-WAVING,183e,246f
HALLERVORDEN-SPATZ DIS.,202r
HALLUCINATIONS,202f,374v
HAND, anat.,225-1,272t; bones,303p; dis.,277m, 312f; gangrene,366b; infections,287a; surg., 222m,268p,394k; wounds & injur.,261m,307v
HAPAMINE,262s
HAPTOGLOBIN,284r
HAYFEVER,254s,264e; diagn.,317u; epidemiol. & statist.,301n; ther.,307q
HEAD, decapitation,285d,382r; embryol.,166i; growth & develop.,289e; surg.,217o; wounds & injur.,177i,189k,203s,217k,o,218m,v,220d, 256i,310j,k,312q,394v
HEADACHE,309p; etiol.& pathogen.,188-1,n,312e, 370q; recurrent,189-1; ther.,379w,380a
HEADMIRRORS,190-1
HEALTH, educ.,179d,233t,265b,306p,351j,k,l, 377r,386i,388p; resorts,182n,243k,307o,395r
HEARING, defects,205r; in naval personnel,199v; physiol.,212a
HEART,181-1; abnorm.,209r,241s,292o,299h, 303u,376n (in animals,279w); beat,196i;block, 179o,182o,189n,283-1,n,306u,312e; blood supply,252e,400k; cancer,207c; chem.,326q; conductive syst.,232r; dis.,182u,194f,248s,269-1, 283n,294v,302u,303u (in inf.& child.,179o); displacements,320b; eff.drugs,258u,325d, 331t; electrocardiography,182o,q,200f,232s, 253p,265k,283e,g,332c,333k,p,352g,t,357o; for.bod.,268w,273e; function tests,184e; hormone,370w; hypertrophy,248s,357o; infarction,182r,252d,283o,q,306s,368p; innervation,175-1,332k,institutes (Mexico,172d); insufficiency,184c,193w,194k,l (in inf.& child.,208t) 243t,283k,m; measurement,283h; murmurs & sounds,232t,357s,370k; pathol., 206g,283k,313s,317o; physiol.,194m,211v, 321i; pressure,333n; rate,179p,311s,381b; roentg.,248t; rupture,351d,355-1; surg.,326w; syphilis,189n; tumors,397n; weight,207a; wounds & injur.,283e,333r,359g
HEAT, allergy,175o; eff.,167p,176v,184h,211r, 325v; hygiene,312h; regulation,241c,282n, 291p,330h,i; stroke,269q
HEATING,238v,389m
HEBERDEN'S NODES,184u
HELIUM,258b; ther.,199o
HELLER'S OPERATION,241p
HELMINTHS,298r; epidemiol.& statist.,200f
HEMATEMESIS,218j,220s; etiol.& pathogen., 193q; fatal,244o; ther.,168s
HEMATOMA, perirenal,170p; sternocleidomastoid,292-1
HEMATURIA,186t; bovine,275s; etiol.& pathogen., 386c
HEMIPLEGIA,261u,366v,371g; progressive,374n; ther.,356w
HEMOCHROMATOSIS,179i,357-1,365o
HEMOGLOBIN,165i,q,168c,198w,334i; chem.,284r; determ.,179f,206k
HEMOGLOBINURIA, etiol.& pathogen.,193i,370e
HEMOLYSIS,236o
HEMOPHILIA, blood,184f
HEMOPNEUMOTHORAX,345s
HEMOPOIETIC SYSTEM,244c,d
HEMORRHAGE,326c,o; cpl.& seq.,326-1; etiol.& pathogen.,234a; hemotrypsia,233o; in otolaryngology,243r; intra-abdominal,170p,305q; shock, 243n; subconjunctival,181j; ther.,185i,371c
HEMORRHOIDS, history,316u; ther.,180s
HEMOSTASIS,274h
HEPARIN,305o; eff.,251e,382o
HERBICIDES,281j
HEREDITY,169s,201f; in dis.,243w,345o,378r, 398o; mechanism,169n,o,209h,258h,292g,330o, 333d,372v,373q; physiol.asp.,211q
HERMAPHRODITISM, in animals,399o; in insects, 201f; pseudo-,253g,239m
HERNIA, diaphragmatic,209c,272n,299n,315k, in animals,276e,n,; inguinale,268u,272w,,308c,311k; strangulated,312b; subfascial fat,328i; surg. ther.,217e,222u,301v,393a,251j,362f; trans-

HERNIA
mesocolic,177f; umbilical,220f,221s,382e; ventral, 393a
HERPES, zoster,241e,294e,339w,378t
HERXHEIMER REACTIONS,340e
HESPERIDIN,185-1
HEXACHLOROCYCLOHEXANE,251w,279e
HEXAMETHYLENE DIAMINE,383g
HEXOSES,382k
HIP, abnorm.,394f; dis.,242w,268u; dislocations, 198h,220n,290u,382b,e; growth & development, 332v; ligaments,332v; surg.,217n,220n,392w; wounds & injur.,198h
HIPPOCRATES,356k
HIPPOCRATISM,314n
HISTAMINE,175o,331d,332o,363o,370-1; antagonists,169f,180q,252f,357i; eff.,169c; injur.eff., 169i; metab.,332n; ther.,352g,379w,380a
HISTOLOGY,287j; in Spain,170v; methods,201s, 288o
HISTOPLASMOSIS,240h,248p; epidemiol.& statist., 273q
HODGKIN'S DISEASE,177h,242b,358w,366e
HOMEOPATHY,171k,r,237v,294k; in Germany, 171o
HOMESICKNESS,202o
HOMICIDE,180a,d,259o
HOOKWORM INFECTION, prev.& control,273u
HORMONES,388o; eff.,225i,382r; formation,384o; mammogenic,331a; plant,329t; sex,258m,357i, 384t; ther.,274k
HORSE-CHESTNUT,171k
HORSEPLAY,237c
HORSES,399n; mil.use,277d
HOSPITALS,182d,254t; admin.,172i,179a,238p, admission & discharge,294p; ambulant patients, 238m; associations (American,238h; American Protestant,238i; Catholic,238i); blood transfus. serv.,172g,209o; decoration,182j; cardiological, 172d; communicable dis.,347r; coordination of serv.,182e; dietetics,294w,347n,347o; economics, 190b,238m,n,296r,364b; educational serv.,223h; equipment,238o; fracture serv.,393s; history, 238s; hygiene,294n; in Cuba,365a; in France, 297d,347w; in Greece,360e; in London (Bart's, 347p; London Lock,353m; Middlesex,309m); in Lyons,238w; in Michigan,238m; in Minnesota,199b; in Norway,183j; in Texas,347t; kitchen,238t; laundry,294t; libraries,172g, 182i,238t; long-term patients,393s; maternity, 188s,377p; military,200k,308w,309a,b,366u; naval,223h; neurologic serv.,186k; neurosyph. serv.,318r; pediatric,203o,315c,347r; pharmacy, 210o,p,383d; physical med.,182h,273m,395j; plans,172f,182g,294r,s,296u,317j,347o,348a, 389q; psychiatric,172j,202k,320h,364e;psychiatric serv.,238g,245s,254n,294u,356-1; public serv.,178v; radiological serv.,182h,358a; records,295a; staff,178w,295b,347s,t; surg. equip.,182d; syphilis control serv.,238p; tuberculosis serv.,238c; war measures,294q
HOUSING,389b
HUMERUS, apophysis,319o; epicondylitis,394i; fract.,222b,273g,364-1,372c,394j,m,u; tumors, 327i
HUNGER,306n
HUNT-MINNESOTA TEST,212m
HUNTER, John,221u
HYDANTOINS,163w; metab.,165n
HYBRIDITY,169r
HYDROCARBONS,164h,230n,330t
HYDROCELE, ther.,218-1
HYDROCEPHALUS,221r,260r
HYDROGEN, bacteriol.,177a; determ.,286k; peroxide,167q,190-1
HYDROPHTHALMOS,182s
HYDRORRHEA,220w
HYDROTHERAPY,318u
HYGIENE & SANITATION, engineering,215n; mil.,319q; rural,367f
HYMENOLEPIS, infect.,273v,322k
HYOSCYAMINE,325b
HYPERTROPHY, unilateral,207s
HYPERESTHESIA,374j
HYPNOSIS,205s,300i,385k
HYPOTHALAMUS,208g,304a; dis.,322u; tumors, 374t
HYSSOPUS,331w
HYSTERIA, in armed forces personnel,318t
ICE,311q
ICE CREAM,311q
IDIOCY, amaurotic,254d,380r; mongolism,208g
IDITOL,163u
ILEOSTOMY, cpl.& seq.,272d
ILEX, paraguayensis,263-1
ILLUSTRATIONS, 294v
IMIDAZOLES,335j; determ.,210g
IMMUNITY,181v,230m,q,252m,294k,295m,301c; 307w;319d,323u,v,336p,q,r,386u; booster doses,230g; metab.,227k; nutritional factors, 172r
IMPETIGO, bullous,342s
IMPOTENCE,374b; etiol.& pathogen.,374d; ther., 316-1
IMPREGNATION, artificial,170n,278n,307n,397u (vet.,276g,398m); physiol.,200u
INCANTATION,307k
INCENDIARISM,323o
INDIANS,161h,299c,373g; Cuban,239v; med.care, 161i
INDIUM,256v
INDUSTRY & OCCUPATIONS,173m,349s; absenteeism,364p; accidents,194g; apprenticeship, 357b; dis.& pois.,173h,j,182h,183e,194r,196a, 229-1,232m,234a,260a,277m,287a,290o,297j,k, l,m,s,304c,d,g,314d,318e,340a,347p,350p,s, 351b,e,m,386c,389d; hygiene,173e,g,203w, 273-1,297i,q,350g,j,k,w,351h,j,l,o,356n; labor union health activities,173h; management-employee rel.,212g; medicine,173k, 186j,204s,237c,245c,262k,l,297g,301o,349q, 350v,351c,e,357a,379g,388v,395b; occupation classification,385e; psychol.,212g
INFANT WELFARE,208b;208d,212v,213g,224o,t, 324n,349t,376a
INFANTS,309k; care,209s; dis.,253-1; feeding, 203t,213e,239i,305i,324e,356r,376r,378a; mortality,305i; premature,207o,209k,335e; psychol.,377t
INFANTS, NEWBORN, anthropometry,213e; crying,209-1; dis.,262p,313h,i; infections, 324g
INFARCTION, etiol.& pathogen.,322q
INFECTION,230t; clothing,300w; cpl.& seq.,246n, 260m; droplet,298s,347r; focal,166p,221o,362m; mixed,380p (in animals,277-1,278k); pathol., 360r; portal of entry,322o
INFLAMMATION, ther.,192c
INFLUENZA, cpl.& seq.,246w; epidemiol.& statist.,231c,265h; exper.,295q; immunity,172s, 174t; in armed forces personnel,372m; vaccine,240r,263w; virus,174t,231b,c,246w,295r
INFRA RED RAYS,254t,344i
INHIBITION,258v,326n
INJECTIONS, cpl.& seq.,262b; hypertonic,184b; intracutaneous,176-1; intravenous,268w,300h; pericardial,326w; suboccipital,396f
INOSITOL,165m,335q
INSANE, artistic productions,375s; care,294w, 320h; certification,259v;

INSANITY, confusional,202i,254o,374v; delusional,202m; in pregnancy,259w; manic depressive,237t,254o,260k,302e,358-1; postoperative,300u; puerperal,260a
INSECTICIDES,195h,1;211j,226e,251w,257h,279e,q,s,281h
INSECTS,279q,282b,333e,396o; biol.,372v,400m; bites & stings,316p; diapause,281s; genetics,201f; harlequin lobe of Hemiptera,281t; nutrition,282i,j,k,334v; pois.,278i; sex,282q; taxonomy,279o
INSULIN, allergy,246n; chem.,336e; eff.,187d,333d,382k,m,n; metab.,382k; pharm.,320h; protamine zinc,197c; ther.,185-1,345d
INSURANCE, sickness,173h,183d,190b,296j,r,315d,317u,346i
INTESTINES, abnorm.,221d,225k; becteriol.,162k,228h,304u,384q; cancer,169h,171f,189w,216q,309i,362j; dis.,171i,187j,194q,195k,207b,270m,p,313i,352q,362w,393f,k; disinfection,201q; diverticula,312a; exstrophy,220f; hemorrhage,268e,270b,c; motility,362a; obstruction,190g,244p,300n,302k,353n,357d,394a; parasites (in armed forces personnel,200i) 208e,247o,254c,298r,299-1,308h,319t; pathol.,356u; pharm.,285b; pressure,269g; roentg.,190g,193d; surg.,244k,272d,j; torsion,221d; tuberc.,272f; tumors,217r,270c; volvulus (in animals,400b); wounds & injur.,301f
INTUSSUSCEPTION, etiol.& pathogen.,217r,255-1,299o,366p,392h
IODINE, iodized oil,357w; tox.,234w,
ION TRANSFER,166p,200t,372q
IONS,283w,284k
IRISH MOSS,335k
IRON, metab.,207i,336t,u; radioactive,258k; ther.,360-1
IRRITATION,247-1
ISOTOPES,322b,d
JACKSON'S SYNDROME,192j
JACQUET'S SYPHILOID,235k
JAUNDICE,308s; blood,323w; catarrhal,169a,190n,229k,248d,250j,253d,303r,315a,345j,k,l,q,352a,363g; etiol.& pathogen.,220t; exper.,252j; hemolytic,196m,241m,335a,345o,q,352i; skin,242i; surg.asp.,222s; therapeutic,303r; virus,315a
JAWS,233v; abnorm.& deform.,166f,268v,290j,327h,328p; anthropology,257k; cysts,287u; dislocations,234c,h; fract.,200h,233r,339p; growth & develop.,166k,288p,289t; infections,289u; mandibular condyle,288p; mandibular joint,166u,289r,s,t; necrosis,391v; osteomyelitis,233w,234h; pathol.,313-1; roentg.,287t; surg.,303-1; tumors,234e,287u,359a; wounds & injur.,269i,286t,337q
JOINTS, artificial,320n; dis.,184u,231t,v,242w,314n; dislocations,271e; mechanics,359n; pain,340d; roentg.,290u; surg.,189r,222-1; wounds & injur.,252s,256n,372f,394f
JOLIOT-CURIE,355h
JOLIOTHERAPY,267q
JURISPRUDENCE, MEDICAL,179w,180a,d,203b,203c,232s,240b,243i,245t,247-1,254q,317m,394s; identification,161h; Moslem,170r; narcotics,237c; psychiatry,202e,260v
KAHN TEST,398e
KANUGIN,320t
KELOID,235k
KEMITHAL,187c,d
KERATITIS, etiol.& pathogen.,378p
KERATOCONJUNCTIVITIS, meningococcic,204p
KERATOSIS,342d
KIDNEYS, abnorm.,219b,c,223t,263a,333r; ageing,346a; anat.& histol.,319c; blood supply,184c,291r,369g; calculi,221f (transureteral extraction,397k); calyceal diverticulum,189n; cancer,206h,244-1,274e; cysts,192i,363u; dis.,239o,241i,247d,250w,299o,308o,359q,367k,n; ectopic,392s; enzymes,165j; function,272g; function tests,184a,299o,326a,346a; hemorrhage,170p; insufficiency,304k; leukoplakia,245k; necrosis,249v; pain,192p,312b; pathol.,206t,206w,306g; physiol.,211t,325u,326b; roentg.,267p; surg.,219b,c,240m,354t,397h; syphilis,248e; tuberculosis,365v,369p; tumors,269c,274d,m,397i; wounds & injur.,197f,333o
KIMMELSTIEL-WILSON SYNDROME, 369g
KNEE, stabilization,363k; wounds & injur.,195g,360q
KOCH, C. L., 400e
LABOR, cpl.,182b,197c,221r,293j,300o,317g; conduct,171u,377c; diagn.,346q; drugs,196u,293a,b,302b; induced,356d; presentation,293c
LABOR UNIONS,173h
LABORATORIES,206q,301d; public health,253r,275h,398c; apparatus & equip.,319m; hist.,371e; mil.,318-1
LABORATORY ANIMALS, cages,184w
LABORERS,350a
LACRIMAL ORGANS, dis.,188-1,204p
LACTATION, diet,197f; disorders,376r
LACTOSIDES,165a
LANGUAGE,205v,258e,372t
LARYNX, cancer,185s,188r,218f,220e,267o,270i,o,393d; fract.,185v; paralysis,313g,363j; roentg.,267n; tuberc.,185q,255i; tumors,313f
LEAD, arsenate,276p; tox.,191k,363j,374w
LEARNING, psychol.,212-1,385d
LEAVES, 334a
LECITHIN,257e,336-1
LEGISLATION,189u,275d ,302u,306p,350c,384c
LEGISLATION, MEDICAL,300o ,361q,389r,390q France,296o,297d,315v,w,316c; Great Britain,300-1,389p,q; US,288a
LEG SUPPORTS,319k
LEISHMANIA, cult.,206p
LEISHMANIASIS,319h; spleen,323t; ther.,239j
LENGGENHAGER'S TEST,195e
LENS, CRYSTALLINE, displacements,204t; pathol.,284f
LEPROSY, bacilli,174h,229q; contagiousness,236k; dactyloscopy,174d; diagn.,174i,235-1,368h; diet,215v; epidemiol.& statist.,174c,236i,j,301o; eyes,235s,u,236a; hospitals,235p,q,r; immunity,236b; nose,351u; prev.& control,235v; serol.,235w,236a,e; ther.,235t,u,340d,390t; tuberculoid,236c,d
LERICHE SYNDROME,220j
LESPEDEZA,329u
LEUCINE, eff.,258h,325u
LEUKEMIA, acute,294b; aleukemic,248p; etiol.& pathogen.,242w; lymphatic,177h,198e,241r,242c,314r,361u; monocytic,250c,277s,356t; myeloid,181q,192-1; plasmocytic,241s
LEUKOCYTES,349a; agglutination,295-1; count,184t,194c,206j,276q,308n; production,336d
LEUKORRHEA,185j; ther.,293d
LEUKOTAXINE,324a
LIBRARIES,346v; scientific (Kresge-Hooker,286n)
LIBRARIES, MEDICAL, 346u,w,347a,b,c,e; Army Medical,347d,e,f,g;Coll.Phys.Phila.,347a; in Great Britain,346u; Yale,346w
LICENSURE, aviation med.,161t
LICHEN,235m; planus,235a,h,236h,341s,342a (atypical,189m); nitidus,235d; spinulossus, 341n; verrucous,340o
LICHTHEIM'S SYNDROME,316f
LIFE, duration,177u
LIFE-SAVING EQUIPMENT,199w
LIGAMENTS, suspensorium penis,175f

LIGHT,294f; eff.,310c,329d; injur.eff.,181p; perception,374n; ther.,254t
LIGHTING,190-1,294r; glare,297v; naval,200-1
LIPASE,285r,306g
LIPOCHONDRODYSTROPHY,208p
LIPODYSTROPHY,187d, unilateral,253d
LIPOIDS,284w,336e,336-1; bact.,228t; metab.,382i
LIP-READING,205r
LIPS, pigmentation,235j; surg.,310s
LISTER, Joseph,221u
LITHIUM,210i; chloride,281n
LITOMOSOIDES,325-1,373m
LIVER,171n; acute yellow atrophy,293h; amebic abscess,168q,306t,353d; anat.& histol.,306h, i,j,k; biopsy,305a; cancer,248t,380v (in dog, 207c); chem.,306k,334i; cirrhosis,183q,192q, 194b,199-1,206t,245s,249j,345o,371q; dis., 169a,174n,190b,245n,269-1,307o,323w; dystopy, 345q; echinococcosis,218o,s,354w; enzymes, 165p,252j; extracts,306h,i,373p; fats & lipoids, 236w,336-1; function tests,371j; hypertrophy, 187d,345n,353b; metab.,336k,337b; necrosis, 363d; pain,218o; pathol.,175d,206w,252j,274k, 345m; physiol.,211t,253f,291s; surg.,176n, 218m,222s; ther.,301u; toxicosis,366b; transplant.,174s; tumors,262o,306j
LOBELAN,325a
LOCUSTS,279q; erad.,279s
LOPEZ MATEOS, Mariano,239h
LUMBOSACRAL REGION, pain,176b,300r
LUMINOSITY CURVES,201c
LUNGS, abnorm.,299h,313t; abscess,179m,192i, 194t,239q,357g,361j,371t; apexitis,239o; azygos lobe,359f; blood supply,194m,258w; cancer, 219k,239s,242c,282t,359a,368u; cysts,244j, 271m,320j,333m; dis.,194f,302j,314m,261g, 346d (in inf.& child.,250s); echinococcosis in inf.& child.,239r; edema,243a,249i; embryol., 258w; function tests,297s; infarction,322q; innervation,362u; mycosis,222t; pathol.,206u, 358f,369s; physiol.,241b,258k; receptors,299u; roentg.,165r; surg.,187j,195b,197g,263f,312m; tumors,241u,369g; wet,269n,271j
LUPUS, erythematosus,235e,291e,341w
LYGUS,329s
LYMPH NODES, biopsy,312f; cancer,220p; dis., 242-1,341h,t
LYMPHATIC SYSTEM, dental region,287h; dis., 295-1,317b; physiol.,211u
LYMPHOCYTES, count,242w,250k,305p
LYMPHOGRANULOMA VENEREUM,340j; epidemiol.& statist.,305d; exper.,251f; immunity, 295t; penis,341r; ther.,295n,310e; virus,230b, 295n
LYMPHOID TISSUE,243m,244d,317d
LYSIN,331q
LYSOZYME,165r,s,174u,v,w,335h
MACROGENITOSOMIA praecox,202t
MAGIC,307k
MAGNESIUM, determ.,344-1; sulfate,305f
MALAR BONES, fract.,200h
MALARIA,179b,294i,298u; afebrile parasitemia, 386g; allergy,180t; avian,265r,396m; blood, 298-1; cerebral,310c,358k,381n; cpl.& seq., 202i; congenital,358-1; diagn.,184u; 396d; epidemiol.& statist.,177o,185f,194s,254s,264w, 356n,396q; exper.,396-1; hist.,306t; immunity, 172v,w; in inf.& child.,381m,o; in veterans, 181d,310-1; mil.asp.,317i,319h,320o,396p; ocular,358h; plasmodium,180j,265r,298k,l,n, 335t,u,396o,q; prev.& control,239e,298v; tertian,331m; therapeutic,172v; therapy,164o, 239d,241a,h,246j,k,248f,285w,286a,b,c,d,e,f, 318-1,359t,381u,396j; vaccine,172u
MALBEC TECHNIC,393o
MALINGERING,203b,205-1,255c
MALLEOLI, fract.,185g
MAN,248j
MANDELAMINE,274o
MANGANESE, metab.,317c; tox.,173j
MANIA,237t
MANNIDES,163r,t,u
MANNITOL,163s,286g,h,j
MARGARINE,257e,277v
MARINE MUD,228t
MARRIAGE, educ.,356n; foreign war brides, 390w
MASSAGE,315w,395m
MASTOIDITIS, cpl.& seq.,394g; etiol.& pathogen., 195n
MATERIA MEDICA,286p; Brazil,210r; history, 362d
MATERNITY, educ.,377f; insurance,296j; mortality,267d,293t; welfare,212v,213g,h,324n,349t, 377u
MATTER,294f
MAXILLARY SINUS,267i; dis.,205k
MAYO TUBE,219t
MEASLES, cpl.& seq.,185f,320j'; prev.& control, 204e,264f; serempion,240s
MEAT,278k; bacteriol.,329p; extracts,386u; inspection,276-1; vitamines,284d
MEAT INDUSTRY, smoke hazard,232m
MECKEL'S GANGLION,322s
MEDIASTINUM, abscess,220k,221c; cysts,207n, 240k,241w; echinococcosis,244o; tumors, 185e,216-1,219k,392a
MEDICAL ADMINISTRATION,187a
MEDICAL CARE,187i,255o,386-1
MEDICINE,191j; & sociology,203c;243f;248j; curiosities,190o; history,171b,c,186i (Chinese, 193s) (in Spain,239h) 244d,e,309m (Ohio,311d), 316b,317k,350q,353h,360a,362d,365e (in France, 367u); in art,312s, in Australia,187g,360a; in Cuba,239v; in Czechoslovakia,350k; in France, 304h,356d,q; in Germany,346i; in Great Britain,300-1,o,389q; in India,305h,k,358s; in Iowa,246t; in Kenya,303d; in New Zealand, 296u,383a; in Northern Ireland,317-1; in Philippine Islands,225s; in Portugal,187r; in Russia,175a; in Sweden,388q; in United States,239a,246h,r; mechanical or spiritual? 369d; postwar,386h; preventive,265b,349p,367s; primitive,196o,223d,325o,366c,373g; rural, 307w,315d; social,171m,238f,296p,r,350k, 367s,377n,387j; state,179d,307u,317u,346i, 364a,c,386-1
MEIGS' SYNDROME,302f
MELANCHOLIA,202h,244d; ther.,358-1
MELANIN,257e; formation,284u; pigmentation, 284u,v,243c,d,341g,378q
MELENA,218j
MELOPHAGUS,257h
MEMBRANES, permeability,330v
MENINGES, hemorrhage,202q,218m,254q,310m; tumors,261u,363q,378m
MENINGITIS,303p,308c; atypical,361c; cpl.& seq.,302v,375i; etiol.& pathogen.,242a,300a, 332p; in animals,399q; influenzal,176e,179q, 312u,380u; malarial,358k; otogenous,256b; pneumococcic,194-1,208a,256k,263b,310v; serous,261w,312q; streptococcal,207w,262p; ther.,207w,208a,139j,242j,304t,361d,h,369r
MENINGOCELE,292n
MENINGOCOCCI, antiserum,252a; cult.,230u; infections,204p,206v,362i; penicillin-resistant,227i
MENINGOMYELITIS, 255f
MENOPAUSE,243a,305-1,364t,w; artificial,246k; disorders,292s; ther.,203w

MENSTRUATION,240r,252t
MENTAL DISEASES,260h; cpl.& seq.,202f; epidemiol.& statist.,213o; ethnic factors,202o; etiol.& pathogen.,260i,373u,375d; in veterans,187w; latency periods,388p; prev.& control,203o; ther.,188f,260g,354g,364e,366s,373t; weight changes,374a
MENTAL HYGIENE,194i,388p; in armed forces personnel,259u; institutes,384w
MENTAL TESTS,188q,212m,p,q,r,259h,264o,385h; resistance,385t; Rorschach,385r,s,t
MERALGIA paresthetica,231u
MERCHANT MARINERS,298b
MERCURIBENZOATES,324t
MERCURY,insecticide,226e; oxide,263o; tox.,246o
MESENTERY, tumors,220v
METABOLISM,184w,201w,211g,s,212b,335n,344i,326m,382r; determ.,256b; disorders,187d; exper.stud.,326b
METAL WORKERS,389d
METALS,348u
METALLURGY, dental,290d
METANILAMIDES,164o,334c
METEOROLOGY,367e
METHANOL,164r
METHENAMINE mandelate,274o
METHIONINE,201r,363d; determ.,165d,320u'; eff.,251j,291s,330m,354d; ther.,242v
METHYL ALCOHOL, tox.,395a
METHYL BROMIDE, tox.,297n,o,p
METHYLAMINE oxide, bacteria,226t
METHYLCHOLANTHRENE,232k
METHYLSULFONYLBENZAMIDINE HCl,324b
METHYLSULFONYLBENZYLAMINE HCl,324b
METHYLURACIL,184p
METRIC SYSTEM,201t
MEYERHOF, Max,171b
MICA,258e
MICROBIOLOGY,201j,228n
MICROSCOPE,303b; electron,162s,227-1,373j,n,373o; phase,162t,322j
MICROTOMES,206o,322a
MIGRAINE, ther.,250i,352g
MIKULICZ OPERATION,272b,c
MILITARY GOVERNMENT,161k
MILITARY MEDICINE,189k,262f,309d,319n,366q,366u; anesthesia,219s,256p,q,319d,372e; blood transfusion,214b,256f,g,318n,319a,326v,372e; chemotherapy,216u; combined operations,320e,386w; educ.& training,354d; epidemiol.,318p; equipment,256c; gastroenterology,345h; history,177i,318o,368i; hydrotherapy,318u; hygiene,200a,319q; in Sweden,200k; in United States,319b; in Yugoslavia,372h; laboratories,318-1; malariology,319h; mental hygiene,259u; occupational therapy,318o; ophthalmology,204r; optometry,200a; pathol.,309b; penicillin,221b; physician prisoners,386s; psychiatry,200e,250o,259p,,r,s,t,u,260d,304f,318t,357j,365t,385n,.psychology,385d,n; psychol.of sick call,318r; rehabilitation,353e; research,319f; stool surveys,200i; surg.technic,176q,195h,216-1,217f,220b,221n,222g,h,223b,269u,271n,300m,309e,318u,319g,j,s,320e,f,366s,386t; tropical med.,273w; wounds,323b
MILK, bacteriol.,227w; between meals,209p; boric acid,206n; chem.,276c; homogenized,343-1; human,210j; pasteurization,227w; phys.prop.,332q; supply,299i,320q; transmission of dis.,386i
MILK FEVER,277q
MILK POWDER,344a
MILKMAN'S SYNDROME,315p
MIND, body & mind,202a,212a,c,259h,304j,374o
MINE DETECTORS, veterinary use,278s
MINERALS, in diet,230f,398u; metab.,200q (in plants,329w)
MINES & MINERS, dis.,297q,s,304g; welfare,298b; wounds & injur.,297q
MINK,genetics,292g
MIRRORS,190-1
MITES,279r,306d
MITRAL VALVE, stricture,333-1
MOENCKEBERG'S DISEASE,328c
MOLDS,167v,343-1
MOLECULES,373b
MOLLUSCUM contagiosum,234w
MOLYBDENUM,360-1
MONIEZIA expansa,276p
MONILIASIS,207b
MONONUCLEOSIS, infectious,189u,191r,205n,301t,348q
MONTEIRO METHOD,221w
MORALE, in armed forces personnel,259u
MORGAGNI SYNDROME,283-1,314b
MORPHINE, substitutes,299v
MORPHOLINES,163v
MORPHOLOGY, history,170u,v
MOSQUITOES,303f,373h; carriers of dis.,273p; dissemination,194a; eradication,226d,264u,396r,396s
MOUNTAINS,299c
MOUTH,abnorm.& deform.,166k; bacteriol.,167q,249g,288k,288t,289c,o,290a; cancer,166i,240u,288e,338q; cysts,393h; dis.,286u,287v,340o,342n; electrophysiol.,339r; hygiene,255s,338g; leukoplakia,337i; mucosa,166-1,235j; surg.,339f
MOVEMENTS,200b,326p,359n,w; disorders,177o,364v
MOVING PICTURES,241f,300j,318p
MUCIN,337j
MUCOUS MEMBRANES,166-1
MUDS, marine,228t
MUELLERIAN DUCT,254d
MULES,277d,e
MUSA,200v
MUSCLES, ageing,285c,346g; chem.,184q,257d, chem.,285q,382k; contraction,331m,n; digastricus of dog,279i; dis.,374d; dorsal interossei of hand,225-1; ergography,201s; extensor pedis,192r; extracts,293f,386u; flexor pedis,192r; function tests,192r; gluteus maximus,327b; innervation,261h,272t,285g,h; ionic permeability,200t; levator ani,220p; of hand,272t; pathol.,183q; physiol.,326c,h,332m; plantaris,273d; rectus abdominis,198e; surg.,382c; tonus,285c; transplantation,327b; vitamins,284d; wounds & injuries,397m
MUSEUMS,Cincinnati,322g; portable exhibit case,207e
MUSHROOMS,211h
MYASTHENIA gravis,217w
MYCETOMA,358j
MYCOSIS,253u; cutaneous,263j,314h,341t,351u; ther.,223w;228c; vulvovaginal,293c
MYCOTHERAPY,256i
MYELIN,308-1
MYELITIS,300n; cpl.& seq.,255f; etiol.& pathogen.,341k
MYIASIS, history,300v; prev.& control,279e
MYOCARDITIS,364j; acute isolated,364k; etiol.& pathogen.,361s
MYOCLONUS,279c
MYOSIN,257d
MYXEDEMA, ascites,358i; etiol.& pathogen.,352h; heart,357q
NAILS, dis.,320i; fluorescence,246k
NARCOANALYSIS,202-1

NARCOTICS,237c; eff.,325m
NASOPHARYNGOSCOPE,262j
NASOPHARYNX, dis.,243m, dis.,317d;pathol., 380b
NATURAL HISTORY, 322g
NATUROPATHY,247m
NAUSEA,236u
NAVAL MEDICINE,ambulance boats,320n; dentistry,255r; gastroenterology,317e; hygiene,200-1; noise protection,199w; malariology,320o; personnel, female,320i; pharmacy,263s; submarine,330w; ophthalmology,199u; ophthalmo-otorhinolaryngology, 320d; otology,199v; psychiatry,259m,320h, 375g; rehabilitation,328h; surg.technic, 220b,320e
NECK, abscess,394g; cancer,220p; cysts,300u; gangrene,365t; phlegmon,312m
NEEDLES,279j
NEGROES, 361q; institutes (Tuskegee,361p); med.care,390k; psychiatry,259m
NEMATODES,276b
NEOSTIGMINE,384i
NEPHRITIS, diagn.,308o; edema,312p; etiol.& pathogen.,319c,394s; exper.,291u; field,372k; glomerular,209v,283e; in inf.& child.,381s; infectious,191a; ther.,241i,249q
NERVES, ciliary,235u; degen.& regen.,282e,m, 289d; facial,272p; hypogastric,333a; lingual, 287c; optic,378q; peripheral,216k,217f,222e, 222p,261m,307v,319k,323b,328d; phrenic,195a, 255d,370t; presacral,220w; sciatic,220-1,r, 261n,316t; splanchnic,283i; transplant.,220r, 328d; vagus,189o,218c,243q,283f,332k
NERVOUS SYSTEM, ageing,175g; anat.& histol., 174u,261b; capillarization,266a; dis.,229s, u,308c,345c,375t (in animals,398p); metab., 326f; pathol.,175g,308-1,392p; physiol.,163b, c,200w,211v,258v,326n,375e; surg.,216k,222e, 260t,323i,328d; wounds & injur.,261m
NERVOUS SYSTEM, SYMPATHETIC,337h; anat. & histol.,225c; dis.,313c,374q; eff.drugs,211a; pathol.,392p; physiol.,211w,326d,e; reflex sympathetic dystrophy,272q; surg.,243v
NERVOUSNESS,243p
NESSLER REAGENT,295g
NEURALGIA, brachial,311v; causalgia,261k, 262b,272q,395j; epigastric,244a,245n,355u; etiol.& pathogen.,393b; facial,233d; femorocutaneous,231u; pudendal,261n; trigeminal, 221o,272p
NEURITIS, multiple,297-1,374h,374v; optic,181a
NEURODERMATITIS,235c, circumscribed,235g
NEUROFIBROMATOSIS,244b,340b; bones,268i; cpl.& seq.,197p; heredity,378r; pathol.,202r
NEUROLOGY,186k; in India,181t
NEUROPSYCHIATRY,175r,375d,356k; classif., 259p
NEUROSES & PSYCHONEUROSES, cardiac,370t; etiol.& pathogen.,262t; in armed forces personnel,189b,200e,259m,p,260d,p,r,318t,375g, 385n; rehabilitation,353e,388v
NEUROSYPHILIS, diagn.,275i; epidemiol.& statist.,319i; in armed forces personnel,318r; ther.,375k
NEUTRONTHERAPY,267q
NEUTRONS,200o
NEVI,340h,341m,o,p,383u
NEWCASTLE DISEASE,276i,j; human,181j; in fowl,398-1; virus,399j
NICOLLET CLINIC,364b
NICOTINE, eff.,210u,312g,325h,355d
NICOTINIC ACID,344b; deficiency,277w; eff., 321m; metab.,236v; standardization,201k; therapy,378w; toxicity,251n
NIKETHAMIDE,193w
NITRITE, amyl,176b
NITROFURAN,273a
NITROGEN,334a; metab.,251v,302b,335u,343q, 382v
NITROMETHANE,201a
tetra NITROMETHYLANILINE, toxicity,351b
NITROPHENOL, 291p
NOISE, naval asp.,199w
NOMENCLATURE,251e,254p,259a,p,279o,321a, 375-1,379h,400e,g
NORDINE,284c
NOSE, discharge (cerebrospinal)205m; dis.,218u; intubation,254h; mucosa,322s; mycosis,341t; prosthesis,393i; sexual asp.,351u; surg.,272v, 393i; syphilis,235b; tumors,205o,313f; wounds & injur.,311h
NOTATIN,257-1
NUCLEINS,162n,227o,284q,306j,k,321g,330o
NURSES & NURSING,172h,347s,376-1; auxiliary workers,376g; educ.& training,215o,376d,h;317d; history.376k; hygiene,203w; in Italy,377j; in Poland,262f; in South Africa,376b; in Vienna, 377b; mil.& naval,255u; patient rel.,204d; public health,204f,238h,305i,376c,377q,r,s,386e, 387j,o; registration,378d; schools,238f,o; surgical,376a; student selection,212i
NUTRITION,168a,175h,178j,291j,363f; dis.,202g, 242f,243w,245s,262t,267j,291s,313b,315p,358c, 359m,363e,374d,377-1; in armed forces personnel,199v; in Austria,236t; in Brazil,194d, 344v; in France,213u,353q; in French colonies, 247w; in Germany,236t; in p.o.w.camps,353m; in Venezuela,215u; public health asp.,300-1; standards,190u
NUTRITION CANALS,337h
NYSTAGMUS,202w; etiol.& pathogen.,306o,322t
OBESITY,260j; cpl.& seq.,184u; etiol.& pathogen., 304a,359q
OBSTETRICS,328i,376k; in India,305-1; rural, 367e; veterinary,276t
OCCUPATIONAL THERAPY,172h,318o,328o
OCHRONOSIS,262o
OIL,210m; argemone,304w; bacteria,228u; cinnamon,383b; dermatitis,340a; Jeanson's,342a
OLD AGE,177u,305-1,345w; med.care,187i; neurocytology,175g; welfare,173v
OMENTUM,pseudocyst,269g; torsion,176a,217q, 218b
OMNOQUINON,381u
ONCHOCERCASIS,279i
ONEIRISM,202g,i
ONIONS, genetics,292f
OPHTHALMIA, neonatorum,311r; sympathetic, 204t,368v
OPHTHALMOLOGY,in Belgium,204k; industrial, 262k,l; nomenclature,379h; rural,311i; social service,379r
OPHTHALMO-OTORHINOLARYNGOLOGY,361t; homeopathic,171r
OPTICS,267k
OPTOMETRY,378h; mil.& naval,200a
ORBIT, abnorm.,197p; decompression,222e; expansion,287b; wounds & injury,323f
ORGANS, isolated,382p
ORIENTATION, disorders,261-1
ORTHOPEDICS,219b,311q,376h
ORTHOPTICS,205f,302c
OSTEITIS,394g; deformans,178k,270r,393-1; fibrosa,293i,314q
OSTEOARTHROPATHY,hypertrophic pulmonary, 241u
OSTEOCHONDRITIS,deformans juvenilis,292h; dissecans,391s; in animals,278e

OSTEOMALACIA,362v; epidemiol.& statist.,170p, 374c
OSTEOMYELITIS, ther.,187k,248c,222m,313h, 382f
OSTEOPATHY,171u
OSTEOPETROSIS, gallinarum,399e
OSTEOSCLEROSIS, fragilis,192o
OTITIS, external,162i,307q
OTITIS MEDIA, aero-,166s; classification,192g; ther.,244u
OTOLARYNGOLOGY, hemorrhage control,243r; pediatric,171n
OTORHINOLARYNGOLOGY,176c
OTOSCLEROSIS, ther.,186m,196p,315h
OUDARD OPERATION,218b
OUTPATIENT DEPARTMENTS,294t
OVARY, cancer,232e; cysts,293o,314e,376r; dis., 293w (in animals,277q) ; hormones,260a,292t, 331-1; irradiation,170g; function,245u,293p; physiol.,330e,331b; ther.,341c; transplant., 254j; tumors,219f,232e,267v,302f
OVOPROTEINS,381t
OVULATION,332a
OVUM, chem.,165g,333f,400-1; eff.agents,281n
OXALATES,185b
OXIDASE,165i,p,188u,257-1,335-1
OXIDASE TEST,368h
OXIDATION & REDUCTION,210h,337a,382v
OXIMETER,184i
OXYCEL,395u
OXYGEN, consumption,326g,336h; deficiency,212k, 289j,325t,330k; eff.,289j; heavy,257b; metab., 334q; ther.,185g,197g,314j,318e,324g; tox., 336h,i
OXYGEN-HYDROGEN INDICATOR,322c
OXYTRICHA,322j
OZERETZKY TEST,264o
OZONE,356g
PAGE-TURNERS,223i
PAIN,170o; etiol.& pathogen.,246w; surg.ther., 363b
PALATE, rugosities,339k; tumors,313d
PANCOAST'S SYNDROME,369g
PANCREAS, aberrant,316v; abnorm.,367i; calculi, 268e; cancer,218h,270k,393f; cystic fibrosis, 190o; cysts,220s,368e; enzymes,236w; heterotopic tissue,169d; hypersecretion,246w; insufficiency,192m; necrosis,327o; pathol.,289h, 301s; physiol.,331a; secretion,325b; surg., 216p,218h,246w,326u; tumors,189p,197d,218j; wounds & injur.,358j
PANCREATITIS, chronic relapsing,168o,169b; etiol.& pathogen.,245n,345r
PARACAPILLARY CANALS,337h
PARALYSIS, acute ascending,255f,297k; abducens, 269o; cerebral,315b,375-1,376c,d; cpl.& seq., 288o; facial,302v; in animals,275q; obstetric, 292-1'; oculomotor,255-1; sciatic,262b; spastic, 173p,203g,h; spinal,176n,320e; surg.ther.,394k; ulnar,394u; vago-accessory-hypoglossal,192j
PARALYSIS, GENERAL, automatism,185u; diagn., 202h; etiol.& patnogen.,245e; ther.,375k
PARAMECIUM,161d,230q,258g
PARAPSORIASIS,235h,340o
PARASITES,195h,i,298r
PARATHYROIDS,anat.& histol.,219e; dis.,369u; hyperparathyroidism,240i; surg.,219e; tumors, 217n
PARATUBERCULOSIS,295k
PARE, Ambroise,221u
PAROTID GLANDS,270d; dis.,231t; tumors,302v, 356c
PAROTITIS, cpl.& seq.,176f,185f,262u,300n,318a, 358m,s; virus,176u
PATELLA, fract.,299p
PATHOLOGY,353n; comparative,275p; history, 241j; institutes (Kanematsu,Sydney,309e); portable exhibit case,207e
PATIENT, ambulant,238m; rel.to physician,240a, 240b
PATULIN, eff.,228f,298s
PEANUT MEAL,185o
PEANUTS,358g
PECTIN,320v,w
PEDIATRICS,207t,265d,395r; psychol.asp.,249b
PEDICULI, erad.,226c
PEDICURISTS,315w
PELLAGRA, etiol.& pathogen.,166b,169h,277w, 362w; neuritis,181a
PELOMYXA, 161c
PELVIS, blood supply,395-1; dis.,188p; meas.,392i; wounds & injur.,237t
PEMPHIGUS, 223u,303f; chronic,358n; exper.,341e; ocular,378s; vegetans,235a,340n
PENICILLINE,180n,195s,201n,264e,314s,321d,361-1, 373a,386a,q; admin.,209m,222b,229r,251s,252-1, 258o,324g,331h,359v,371a,384-1; allergy,246b, British,383g; determ.,336b,c; eff.,162e,181w, 184q,227j,228h,229f,252c,256m,259b,349-1,352d, 369n; history,378e; metab.,252-1; prep.,287c, 353u; production,162g,228o,p,q,257i,335a,383p; resistance,227i; rubber effects,228i; standardiz., 329m,349e; synergists,201b; ther.,181w,191f, 192h,203i,220m,328g,351d,362h,1,369f,h (combined,207w,208a);(in dentistry,166j,287v,289u, 337r),(in gynecol.,346p),(in mil.med.,221b, 256n,o),(in ophthalmol.,378r),(in otorhinolar., 189d),(in pediatrics,222b,324f),(in stomatol., 233c),(in surg.,182j,273c,h,319j),(in urol., 223n,o),(in venereal dis.,274t),(in veterinary med.,276o,398t); toxicity,305q,310f,340e,342s
PENICILLINASE, bact.,227j
PENICILLIUM,258c; biol.,180m
PENIS, anat.& histol.,175f; cancer,219f,254e; dis.,274n,340o,u,341r,397r; surg.,328d; tumors, 397q
PENTACRESOL,196r
PEPSIN,335q
PEPTIC ULCER,177p,186o; cpl.& seq.,218c; diagn., 169d,316e; etiol.& pathogen.,169i,182u,250r, 300t,353a; exper.,250r; hemorrhage,217g,218j, 250j; history,168s; in aged,345v; perforated, 303g,317e,358v,369c,376s; postoperative,268o, 272o,327i'; roentg.,222q; surg.ther.,268-1,327w; ther.,189o,221m,u,222r,294j,316h
PERCEPTION, extrasensory,385k
PERIARTERITIS, nodosa,302t,363n
PERICARDITIS, adhesive,175t,208o; cpl.& seq., 247c; diagn.,182a
PERICARDIUM, cancer,207c; hemorrhage,207c; hematoma,247c; puncture,326w
PERIDINIUM,322k
PERINEPHRITIS, ther.,274f
PERINEUM, anat.,175f; lacerations,197c (in animals,399r)
PERIODICALS, dental,288a
PERIODONTITIS, 289b; etiol.& pathogen.,287k
PERIODONTIUM,289h; blood vessels,289i
PERITONEUM, echinococcosis,176p; tumors, 218-1
PERITONITIS, cpl.& seq.,179i; etiol.& pathogen., 219a,220u,241q,313p; pneumococcic,293h; ther.,320k
PERSONALITY,351c; and disease,286u; anhedonic, 259v; disorders,197m; psychopathic,374m,388r; tests,212j,385f,h,r,s,t
PESSARY,310c
PETGES-JACOBI DISEASE,341c
PETREN,266a
PHAGOCYTES,172t,230r,330u; surface,373-1

PHARMACOLOGY,212c
PHARMACOPEIAS, U.S.,325q
PHARMACY,286p; educ.,383s; ethics,384g; history,362d; in France,296-1; in New Zealand, 383a; naval,263s; research,383n; teaching, 210p,r; veterinary,263j
PHARYNX, dis.,239j,316a,317d
PHENIODOL,357w
PHENOTHIAZINE,278b
PHENYL CPDS.,370v, eff.,229d
PHENYLALANINE,335n
PHENYLALKANES,324v
PHORIAS,182t
PHOSPHATASE, alkaline,165q,252j,281r,282e, 306g,336n,354b
PHOSPHORUS CPDS.,227c,290e,343h; metab., 251m,333v,335-1,343p,382k; radioactive,315i
PHOSPHORYLASE,165-1
PHOTOGRAPHY,298s; color,322f
PHTHALYL SULFATHIAZOL,300s
PHYSICAL EDUCATION & TRAINING,178j,215i, 265w,332-1; eff.,266a,332m,326j; for girls, 249m; military,266b; instruction,265u
PHYSICAL EFFICIENCY,355k,395o; in Trujillanos, 254e; tests,249r,273m, 350a,f
PHYSICAL MEDICINE,172h,182i,188p,192-1,255g, 356w,377v; pediatric,198t,273m; teaching,273j
PHYSICIANS,317-1,360n; as philosophers,179c; as poets,178e; Negroes,361o,390j; orientation, 370v; relation to patient,240a,b; social service,296u; war prisoners,386s; welfare,307n; women,183k,360f
PHYSICS,200o,201d,h,227k; models,258b; political & social implications,201p
PHYSIOLOGY,326i,375e; applied,212c
PHYTOMONAS aptata,329v
PICOLINES,164f
PIGMENTATION,337k,373m; disorders,202r, 235j,353t,357t; in Negroes,288m; oral,288b
PIGMENTS,169p,284c
PIGNET INDEX,254e
PILONIDAL CYST,270e; ther.,273c,315j,319i,327a, 327b
PINEAL GLAND, extracts,331b; tumors,202t,207d, 365u
PINEAPPLES, genetics,170c
PIPERIDINE CPDS., 163v,164p,q
PITRES,202d
PITUITARY BODY,anat.& histol.,225m; dis.,242w, 260j,314c,362-1; pathol.,208g,367o; physiol., 206s,289p,q,t,322r,326e,330e,382t; secretion, 165q,251v,281u,331a; tumors,363q,367o,371i, 378m
PITUITARY PREPARATIONS, determ.,370c; eff.,252d,291r
PLACENTA,histochemistry,225g; permeability, 293g; premature sep.,177m; previa,177m; serology,331u; transplant.,174r
PLAGUE, prev.& control,254a; transmission,349i
PLANCK'S RADIATION FORMULA,201d
PLANTS, dis.,281i,372w; pois.,399c
PLATYNOSOMUM, 247o
PLAY,388o
PLETHYSMOGRAPH,332h
PLEURA, dis.,261g,314m; for.bod.,271o; pathol., 345m; pressure,191m
PLEURISY,acute benign dry,187b; cpl.& seq.,243a; serofibrinous,372d; ther.,188e,256k; with effusions,181f,192q,256-1
PLODIA,282k
PNEUMOCOCCI,infections,229r,251u,380i
PNEUMOCONIOSIS,297q,351g; bagassosis,229-1; diagn.,173f; diagn.,394w; epidemiol.& statist., 194r; etiol.& pathogen.,297k; pathol.,297i,n; prev.& control,297r,356n; stomach,314d;vital capacity,297s
PNEUMOENCEPHALITIS, avian,276j
PNEUMONIA,199o; atypical,181j,229s,249h,365h; cpl.& seq.,313p; etiol.& pathogen.,248p,249u; exper.,306e,f; in armed forces personnel,371u, 372-1; pathol.,373-1; spreading factor,380i; ther.,188i,229r; ther.,246m,250m; virus,230a, 362f,380j
PNEUMOTHORAX,363k; cpl.& seq.,242r; eff.,362u; etiol.& pathogen.,242s,318b; ther.,397e
POIKILOCYTOSIS in cattle,236v
POIKILODERMA,341c; congenital,339v
POISONS & POISONING,334e; in cattle,399c; in inf.& children,209q; toxicity,346f
POLIOMYELITIS,247i,301m,374s,388j; bulbar, 202p; epidemiol.& statist.,246n,265r,311b,, 363f; exper.,348h,349c; in armed forces personnel,371w; mortality,391b; nutrition factor, 348h; pathol.,395i; portal of infection,289m; recurrence,369q; surg.ther.,382c; ther.,192s, 364i,377r,384-1,395h; vibratory threshold,395h; virus,229u,295p,348t,349c
POLYCYTHEMIA, etiol.& pathogen.,243b; hypertonica,244-1
POLYGRAPH,268g
PONGAMIA,320t
POPULATION,169m
PORPHYRIN,200w,232j; proto-,165q
PORTAL VEIN, blood press.,194b
POSTURE, disorders,196h; Fowler's,187g; in animals,275m
POTASSIUM,eff.,184q,331t; metab.,330k
POTATOES, chem.,165-1
POULTRY, feeding,276d; vitamines,284d
POVERTY,238s,388n
PRECIPITIN reactions,201a,229-1
PREGNANCY,blood pressure,310g; cpl.,166m, 170f,q,181q,182b,243o,293h,i,l,o,300n,342o,346n; diagn.,250b,264g,295e,305a,346o; diet,196r, 198j,215v,236u; ectopic,223d,241e,248k,314f; hygiene,388q; kidneys,249v; Moslem beliefs, 170r; psychosis,255w; signs,292m; vomiting, 236u
PRESCRIPTION,290-1
PRESSURE RECORDING,321v
PRIODAX,268d
PRISONS & PRISONERS,173c; psychiatry,202o; venereal dis.,275f
PROCAINE CPDS.,187u; eff.,211c; pharm.,306n; ther.,235u
PROCTOLOGY, geriatric,346a
PROPYLENE di chloride,210v
PROSTATE, cancer,183c,223k,274i,j,k,362p,397p; hypertrophy,182r,305f,360k,397n; surg.,190d, 274h,397o,s; tumors,220g
PROSTATECTOMY, cpl.& seq.,221j,315g,371c; technic,217t,223-1,250u; transurethral,249k
PROSTITUTION,212j,224s,275d,e,f,342n; rehabilitation,259o
PROTEINS, Bence-Jones,284t; chem.,164-1,m, 284i,j,n,336o; denaturation,165o,284p; hydrolysates,284a; immune,336p,q,r; in diet,165f, 236v,w,284h,301s,318s,336m,343q,t,344c; metab.,227k,248m,317a; salivary,289-1,k; ther.,276f,381t; vegetable,178i,399d
PROTOPLASM,306j,k,321d
PROTOZOA,161d,230q,232-1,,258g,282b,308h, 319t,322j,384p
PRURITUS,341u; cpl.& seq.,366b; epidemiol.& statist.,246p
PSEUDARTHROSIS, clavicular,393b; congenital tibial,394e
PSEUDOSCLEROSIS,375h
PSITTACOSIS,248p; immunity,230k; ther.,230e, 295n; virus,230a,b,d,295n

PSORIASIS, blood,341d; etiol.& pathogen.,312k; ther.,312s
PSYCHIATRY,175r,177o,203k,250o,254n,259d,g, 260d,310k,357j,364e,366s; educ.& training,259e, f,g,k,l,390s; forensic,202e,203b,c,260v; in So. Amer.,260f; in Brazil,304q; narcoanalysis, 202-1; nomenclature,254p,375-1; occup.hazards, 260a; patient relations,202m; pediatric,173u, 207t,259j,323p,364n; pub.health asp.,375c; radiotherapy,373t; social serv.,194e,356-1; teaching,259i; therapeutics,354g,366j
PSYCHIC RESEARCH,385a
PSYCHIC TRAUMA,254q,293q
PSYCHOANALYSIS,317r,395m,n; narcotic,202-1; training,259j
PSYCHOLOGISTS,licensure,385p; training,385g
PSYCHOLOGY,212c,259h,304p,368f; comparative, 264-1,382u; industrial,350v,351c; institutes, 202p; medical,202p,363r; methods,212h; mil., 385d,n; parapsychol.,385k; social,385d,202a, 259n,296c,d,374e; subconscious,304p
PSYCHOMOTOR SYSTEM,177o
PSYCHOTHERAPY,260q; indic.,dental,166g
PUBERTY, precocious,239m,384i
PUBLIC HEALTH,215n,375c; associations (Am. Pub.Health Ass.,197u); centers,296m,p,349p, 377f,390k; cooperation,197u; essays,387h; in Amazon Valley,370m; in Basutoland,213a; in Battersea,386n; in Belgian Congo,174f; in Belgium,350n; in Bournemouth,213-1; in Bristol, 213n; in British Columbia,213q; in Bury,387d,e; in Calgary,214d; in Cambridge,Eng.,214g,j; in Canada,387i; in Canterbury,387m; in Cape Town,214-1,n; in Carlisle,214q; in Chester, 214t; in Crewe,214v; in Croydon,215a,d; in France,304h; in Gloucestershire,387t,w; in Great Britain,265e; in Greece,187g; in Guatemala,264r; in Hammersmith,388c; in Harrogate,215f; in Herefordshire,388f; in India,355q, 358p,s; in Islington,389f; in Kidderminster, 390a;in Latin America,328k; in Leicestershire,390e; in Nicaragua,161i; in Palestine, 181q; in Spanish Colonies,396g; in Sweden, 388q; in Tucumán,319q; in United States,239a; in Yguoslavia,249s; international,356p,387h,i; local,197u; organization,253r; personnel training,193m,204e,248j,265m; teaching,386d; United Nations,215s; UNRRA,216c,377q; veterinary asp.,398r; voluntary agencies, 386a
PUERPERAL INFECTION,237m; etiol.& pathogen., 237m; prev.,237p; ther.,188a,191b,292q,316m
PUERPERIUM, cpl.,181m,224b,260-1; hemorrhage, 292k,q
PULLORUM DISEASE,276q; epidemiol.& statist., 399h
PULSATILLA,171o
PULSE,326j; venous,222i
PULSE GENERATOR,322a
PUNISHMENT,173c
PUPILS,186a; artificial,328k; diagn.signif.,374q; dilatation,204r
PURPURA,209e,316h; etiol.& pathogen.,234w; haemorrhagica,243o; ther.,258q
PUS, eff.,229e
PYELITIS, 397i
PYEMIA, funduliformis,194v
PYLORUS, aplasia,306u; hypertrophy & stenosis, 221j,299h,324j; roentg.,169d
PYONEPHROSIS, cpl.& seq.,220u
PYORRHEA ALVEOLARIS,234e; blood,289v; chem., 289k; diagn.,289-1; etiol.& pathogen.,287m; ther.,290m
PYRIBENZAMINE,252f
PYRIDOXINE,165m; bact.,227c; defic.,252m,n, 343r; eff.,236v,326h; standardiz.,201-1; ther., 236u
PYRIDINE,164f,219r,324q
PYRIMIDINES,286a,b,c,d,e,f; chem.,163u; metab., 183n
PYROGENS,184t
QUINACRINE,164d,239d; eff.,246j,k,343o; tox., 260c,305c,351m
QUINALDIL,163w
QUINALDOIN,163w
QUININE,381u; determ.,263m; eff.,229a,382s; metab.,165p; prep.,359t; ther.,179p; tox., 378w
QUINOLINES,164c,d,f
QUINONES,223w
QUINOXALINES,164n
RABIES, epidemiol.& statist.,236n; vaccine,180f
RACES,259m,282t,288j; social asp.,296c,d
RADAR, eff.,225r; injur.eff.,318n
RADIATIONS,193c,201d; eff.,201e,228p,231p,293e, 373k; injur.eff.,318n
RADIOACTIVITY,228p,258k,293e,315i,317b; meas.,258p,322b,d
RADIOLOGY, app.,267n; hist.,178o; in United States,267m; technic,182h,230s
RADIOTHERAPY,176h,253m,267q,s; app.,267-1; general practice,254t; selective,317b
RADIUM, ther.,337n
RADIUS, fract.,327u
RAILROADS,194a
RAINFALL,367e
RAMAN SPECTRA,344g
RANULA,393h
RATBITE FEVER,303m; ther.,179a
RAYNAUD'S DISEASE,394u
READING,205c
RECORDS,182a,201t; med.,315c,375-1
RECREATION,215i
RECRUITS, dis.,318p; exam.,204r; ven.dis., 386f
RECTUM, abnorm.,186n; cancer,247a,249v,250v, 253p,270a,271a,r,s,t,u,272e,308a,327p,q,364j, 369c; hemorrhage,271v,316h; prolapse,271g, 381e; surg.,216r,268m,327k,359h,377c; ulcers,310b; wounds & injur.,272f,320f
RED CROSS, hist.,179w
RED WATER,322k
REFLEX, corneo-pterygoid,261s; forearm,261h; hypogastric,333a; pleural,261g; pulmonocoronary,283f; pupillary,261e; radial,261h; tendon, 261q; vagal,283f
REFRIGERATION,238v
REHABILITATION,173m,q,296q,328h,328o,343c, 353e,363v,388v,395s; centers,173o; dental, 233h; hospitals,265g; in Russia,348a,350i; psychiatry,259-1; resettlement,257i; work adjustment,173n
REITER'S DISEASE,240g
RELAPSING FEVER, pregnancy,170q
REPRODUCTION, diet,193n; metab.,332d; physiol., 200u,212b,225i
RESEARCH,175c,347j,k,n; hist.,347i; in Great Britain,200s; postwar,372s
RESEARCH, MEDICAL,319f; hospitals,294o; human experimentation,192v; in Russia,175a; veterinary,399v
RESINS,168s,283w; acrylic,287p,288o,q
RESORCINOL, eff.,162j
RESPIRATION, app.,282b'; artificial,223i,241b; center,285d; chem.,334q; Cheyne-Stokes, 192v; disorders,177s,299u; hyperpnea,177r; physiol.,184e,211s,241b,258k; sounds,311w
RESPIRATORY TRACT, cancer,242e; dis.,183e, 193p,196e,f,200u,229s,230t,318s,347p,383q,

(in inf.& child.,196d);
RESPIROMETERS, micro-,282b
RESTAURANTS,344b
RESUSCITATION,219u,245c,256f,308s,350o,t; blood transfus.,220-1
RETICULOENDOTHELIAL SYSTEM,181v; dis., 340w,356t,378w; pathol.,207i; physiol.,332-1
RETINA, angioid streaks,204v; atrophy,324i; detachment,379e; dis.,378o; electrogr.,321h; exam.,355c; pathol.,202w; tumors,204n
RETINITIS, pigmentosa,174q,r,s,374e
RETROPHARYNGEAL REGION, phlegmon,239j
RETROVESICAL TRACT, sarcoma,218t
RETTING,257u
RHEUMATIC FEVER,204f,265a; acute,381q; backache,196j; blood,311p; cardiac cpl.,179o, 208-1,244h,i,301k,307h,352g,361s,381r; cpl. & seq.,241q; diagn.,198-1; epidemiol.& statist.,315c,381p; etiol.& pathogen.,231t,362g; hospitals,315c; immunity,307h; in armed forces personnel,310t,372m; latent,381q; prev.& control,186r; recurrence,197a; serodiagn.,230p; social asp.,208m,377a; ther.,240f, ,242k,248o,362h,381v
RHEUMATISM,354j; cpl.& seq.,241q; etiol.& pathogen.,231t,v; epidemiol.& statist.,273-1; etiol.& pathogen.,368u; in armed forces personnel,372m; pathol.,354k; pseudoappendicitis,191r; social asp.,273j; ther.,179o,196n, 242k,255g,302n,354c
RHINITIS in swine,275v; vasomotor,254s,262s, 307q,317u,368w,379w,380a
RHINOPHYMA,196i,340h
RHODAMINE B,325j
RIBOFLAVIN,291i,k,344b,348h; bact.,226m,o; defic.,242o; eff.,201b,321m; standardiz.,201j
RIBONUCLEASE,336f
RIBS, pathol.,345m; tuberc.,392o
RICE,241i; in diet,193n,o
RICKETS, cpl.& seq.,176n; epidemiol.& statist., 213j,324i
RICKETTSIA, cult.,230v; eff.agents,231p
RICKETTSIAL DISEASES,370j; in voles,306h; metab.,317a; ther.,370n
RINGWORM,383t; diagn.,196d; prev.,358f; ther.,223w
ROCKY MOUNTAIN SPOTTED FEVER, metab., 317a; ther.,179k,370n
RODENTS,306h
ROENTGEN RAYS, app.,250s,268g,392g; diagn., 173i,220q,267k,268d,358a,392-1; dosage,392f; eff.,170g,172t,298n,348o; injur.eff.,340i,391v, 392i
ROENTGENOGRAMS,392e
ROENTGENOLOGY, hist.,178m,o
ROENTGENOTHERAPY,197r,s,240f; Bucky rays, 341w
ROUND LIGAMENTS, 332v
RUBBER, eff.on antibiotics,228i
RUBELLA, maternal,204t,u
RUBIDIUM,348j
RUMEN, bacteriol.,227v; engorgement,277t
RUMINANTS, digestion,282-1
RUMPLESSNESS of chickens,333d
RUSSIAN LANGUAGE,372t
RUTIN,246f
SACCHARIDES,257m,321o,331l,335k,392v
SACRAL REGION, tumors,300o
SACRIFICE,human,161o
SACROCOCCYGEAL REGION, wounds & injur., 304e
SAKAGUCHI REACTION,284o
SALICYL CPDS., determ.,285i; eff.,176v; metab., 240f,285j; ther.,242k
SALIVA,289j; bacteriol.,228g,289c,290a,389c; chem.,289k,l,n; hydrolyzed,288k;
SALIVARY GLANDS, cancer,234c; tumors,270d
SALMONELLA,278a; antigen,229o; classification, 231j; gatuni,162r; identification,229o; infect., 229n,248f,349k (in ducks,277f); pullorum,276q, 399h; suipestifer,207b,317w
SALSOLIN,171h
SALVIA,331v
SAMBUCUS,332w
SANGRE de DRAGO BARK,284c
SAPONINS,331p
SARCOIDOSIS,207r,235b,313e,342e,v,366g,368q; diagn.,235-1; in armed forces personnel,371s; lungs,396h; ther.,340p
SARCOMA,192a,272-1,397n; chondrosarcoma, 313f; etiol.& pathogen.,269f; exper.,232j; in inf.& child.,262o; leiomyosarcoma,220v,359j; leukosarcoma,391w; liposarcoma,359b; lymphosarcoma,177h; osteosarcoma,219m, 268g,270r,313o,327i,359b,381c,393-1,394a (in animals,278o); retrovesical,218t; rhabdomyosarcoma,207d,359i; virus,258-1
SASSAFRAS oil,210c
SCABIES,341.1;358s
SCALP, wounds & injur.,269b,351i
SCAPULA, tumors,271h
SCARLET FEVER, allergy,366b; diagn.,366b; epidemiol.& statist.,207o; prev.& control, 190h
SCHEELITE mining,304g
SCHISTOSOMA, hosts,258t
SCHISTOSOMIASIS, cerebral,372a; diagn.,182t; egg demonstration,273s; epidemiol.& statist., 196o,253s,320a; ther.,273t,319-1
SCHOOLS, diet,304e,344v; med.serv.,204s,324m, 385w
SCHOOLS, MEDICAL, Brussels,350q; Cleveland, 301a; Manchuria (Moukhden,243g); Mexico, 365e; Yale,346v; Women's Med.Coll.Chic., 364n
SCIATICA,194e,374i; etiol.& pathogen.,261n, 300r; surg.ther.,242g; ther.,220-1
SCIENCE,175c,355i,372s; hist.,347k
SCLERODERMA,243g,250t,322o,340q,341s; diagn.,235i
SCLEROSIS, disseminated,202j,322p; endocardial, 206g
SCOTOMA, etiol.& pathogen.,378m
SCROTUM, physiol.,282c
SCULPTURE,287s,290h
SCURVY,184o,357t; etiol.& pathogen.,331d; in animals,277b
SEABRA TEST,368h
SEASICKNESS,200b,311p
SEBACEOUS GLANDS, cysts,217a
SEBORRHEA, cpl.,341u
SEDATION,188q,272k,260c,320h
SEEDS,228s; chem.,335v; germ.,259b
SELENIUM, eff.,258p; tox.,312s
SELLA TURCICA, tumors,261a,363q,378m
SEMEN,397u; groups,281q
SEMILUNAR BONE, fract.,394t
SEMILUNAR CARTILAGE,wounds & injur.,360q, 394r
SEMINAL VESICLES, hyperplasia,187f
SENECIONINE,211b
SENSATION, disorders,353j,374j
SEPTICEMIA, 194v; cpl.& seq.,242s; etiol.& pathogen.,242t; hemorrhagic of cattle,276g; in inf.& child.,213f; meningococcal,206v; pathol.,340r; ther.,241v,245o,300v,361k, 369m; venous,239p; tox.,255e
SEPTUM, rectovaginal,314g
SERODIAGNOSIS,230o,p,275h,348p,398e; associated,244v; specificity,293r

SEROTHERAPY & HEMOTHERAPY, 185b,308s
SERUM, antireticular cytotoxic,174v,381k; chem.,284g; immune,174t,185b,230q,252a, 253w,336p,q,r,368q; polyvalent,229o; prep., 353s; refrigeration,295h
SESAME, genetics,292h
SETARIA,276b
SEWAGE, chlorination,216f; 216e; bacteriol., 258e; disposal,216f,g
SEWERS,389n
SEX, 258m; behavior,212j; crimes,203c; determ., 257r,282q,369e; determ.(control)169s; educ.,388n; frigidity,189e,356i; metab.stud., 332d; perversions,187q,188i; physiol.,200u, 225i
SHEEP, dis.,279a,398p
SHELLFISH, bacteriol.,227u
SHIPS, lighting,200-1
SHIPWRECK, life saving equip.,199w
SHOCK,248o; anesthesia,328c; blood,257m,326c, 331s; etiol.& pathogen.,242t,327o,363r; exper., 243n,257m; metab.,168k; pathol.,211v,327n; prev.,326-1; surg.,327n; ther.,175q,184r,s, 256g; traumatic,200a
SHOES,172a
SHOULDER, dislocations,218b,222b,393a,394j,t; pain,218w,319o; tuberculosis,268c
SIGMOID, pathol.,327v
SILICA GELS,334j
SILICATE CEMENTS,289m
SILICON,164a,t,301u
SILVER, tox.,353t
SIMS, Marion,288a
SINUSES, NASAL, dis.,205k,222t,312e; fract., 196m
SITOPHILUS, granarius,278i
666, 251w,257b,279e,279p,s
SKENE'S GLAND,370r
SKIN, age & sex diff.,209j,346f; atrophy,235i,342n; cancer,165m,234o,p,q,r,s,267r,341o; dis.,196d, 224c,297j,m,s,311g,339u,357t (in animals,278d) (personality asp.,197m)(systemic,186p); gangrene,365t; groups,323v; hygiene,203w,273-1; metab.,207i; pathol.,181p,332o; physiol.,211s; transplant.,218c,e,249c,270i,270o,282d,314g,318u, 323u,v,340t,351i,393e; tuberculosis,235d,k,n, 342u; tumors,341m.o,q,360c; wounds & injur., 269b
SLEEP,351t; wakefulness,251u
SLUDER'S SYNDROME,322s
SMALLPOX, epidemiol.& statist.,318p; in armed forces personnel,200d; vaccination,319d,348m; vaccine,231a
SMEGMA, bacteriol.,226m
SMOKE, injur.eff.,232m
SNAILS,258t
SNAKES, anat., 201q
SNEEZING SICKNESS of swine,275v
SOAP,201n,210k
SOCIAL SECURITY,296f,o,297b,350b,e,356a; in France,296h; in New Zealand,296u
SOCIAL WELFARE,298b,375c; history,238s; med. care,386-1; personnel training,259i
SOCIETIES, MEDICAL, Brit.Med.Ass.,300-1; Kenya,303d; Ramazzini Soc.,351e
SOCIOLOGY, 203c,299c
SODIUM, chloride,279f,310p,329m; fluoride,277q; hexametaphosphate,290e; metab.,257d,283v, 330k
SOIL, bacteriol.,343g; chem.,343h
SOLANINE,373e
SOLUSTIBOSAN,325-1
SOLUTHIAZAMIDE,368a
SOOT, cancerigenic prop.,232m
SORBIDES,163q,u
SORBITOL,163s,286h,i,j
SORGHUM, tox.,276d
SOSKIN-WACHTEL-HECHTER dis.,346o
SOUNDS,362m; eff.,231p; ultrasound,162h
SOYBEANS,193o, 248g, 251-1
SPASM, etiol.& pathogen.,300n,323a; in dogs,279c
SPECTROPHOTOMETER,165h
SPEECH,205r; defects,203h,205s,t,212k,375g; infantile,205t
SPERMATOGENESIS,330r,332g
SPERMATOZOA,281m; eff.agents,282c
SPHENOID BONE, cancer,374u
SPIDERS,400e; bites,190u,218n,264c
SPINAL CANAL, roentg.,391r
SPINAL CORD, compression,255f,261t; necrosis, 207h; pathol.,375a; physiol.,323a,395i; surg., 261k,323a; tumors,192r,323g; wounds & injur., 203c,222j,256j,323c
SPINAL PUNCTURE,268q; cpl.& seq.,255e
SPINE, abnorm.,204k; ankylosis,268c,n,309s; curvatures,176n; deform.,176b; dislocations, 268n,311v,320g; fract.,261n; intervertebral disks,183c,203d,222n,o,261v,309u; pathol., 270u; roentg.,176b; surg.,242g,392r; tuberculosis,249i (pseudo-,221a); tumors,268g; wounds & injur.,301n,304e,391r,394t
SPIROCHETA,229-1; agglutination,288t; novyi, 227m
SPIROCHETA PALLIDA, serol.,288t;
SPIROCHETOSIS, icterohemorrhagic,229k,363c; in turkeys,228r
SPIROSTOMUM,282b
SPLANCHNOPTOSIS,251a,267k
SPLEEN, extracts,342q,329-1; physiol.,334p; rupture,269b; surg.,190f
SPLENECTOMY, cpl.& seq.,193q; indic.,243o
SPLENOMEGALY, etiol.& pathogen.,180-1; in inf.& child.,353b
SPLINTS, intra-medullary ivory,193h
SPREADING FACTOR,380i
SPRUE,ther.,248e
SQUIRRELS,279u
STAINS & STAINING,206m; bacterial,227q; vital, 331k
STAPHYLOCOCCI, aureus,227h; coagulase,176w; cult.,329m,349d; infections,242s,379d (in animals,279a); pathogenicity,177d; penicillin-resistance,369n; strains,301w; toxin,349d
STARCH,164k,343i
STARCH REACTION,252i
STARVATION,316p,343c
STATISTICS,389j; sampling,389i; medical,352m, (international,387i) (teaching,386d)
STEEL, prostheses,323d; rustproof,234a; wire, 397j
STEINERT'S DISEASE,261j
STELLATE GANGLION,192p
STERILITY,293o,w,346p; etiol.& pathogen.,181p, 203q,293v; in animals,399m; ther.,292t,311t, 327t,u
STERILIZATION, sexual.180f; utensils.227r
STEROIDS,331a; eff.,291u
STETHOSCOPE,313a
STIBANOSE,325-1
STIFF-LAMB DISEASE,398p
STOMACH, abnorm.,221g; acidity,168s,169g,383i; anat.& histol.,329c; bacteriol.,227v,300t; cancer, 168p,178p,193j,v,194n,s,253o,252p,300t, 313k, 328j,364v; cardiospasm,241p,246v; dilatation, 217e,220v; dis.,316r; diverticula,359r,391v; exam.,316e; for.bod.,243j,318b; hemorrhage, 220s; infl.,168q,197b,314d,316f; mucosa,268b, 353a; pathol.,273a; physiol.,337k; roentg.,191k, 267h,316e,317e; secretion,169c,f,206-1; silicosis,314d; surg.,185p,217g,h,v,220b,221w,

STOMACH, surg., 251e,327j,327w,328b,361u,365g,376v (in animals,276e); tumors,192a,218r,268f,393o
STOMATITIS, aphthous,341h,351s; etiol.& pathogen.,310f; gangrenous,353-1
STRABISMUS,190q,302c
STREPTOCOCCI,165v,278f; antiserum,227s; carrier strains,229p; cult.,331f; faecalis, 165k,w,245o; fibrinolysis,183r,s,t,u; hemolyticus,241v,298o,352c; infections,209v,369m; metab.,231m; resistance,252c; salivary,228g; viridans,352d
STREPTOMYCIN,190t,193s,196v,248u,249c,383d, 386a; commercial,231d; eff.,224g,229f,g,h,j, 251q,336a; inactivation,231e; pharm.,231f; production,228m,n; resistance,227j; rubber eff.,228i; sterility,251q; ther.,162s,179j,216n, 231f,245o,246m,251k,263j
STREPTOTHRICIN, ther.,oral,290a
STRONGYLOSIS,278b
STUDENTS, age,212h; selection,212i
STYRENES,164u,v
SUBCLAVIAN REGION, surg.,351a
SUBMARINES,330w,375g
SUBMAXILLARY GLAND, cancer,359k; tumors, 270d
SUBTILIN, eff.,251u; ther.,228e
SUCCINOXIDASE,336f
SUCCINYLSULFATHIAZOLE, eff.,162k
SUGGESTION,300i,385k
SUICIDE,259o,368d
SULFACETIMIDE, 262k
SULFADIAZINE, 257o,352c; ther.,367t
SULFAMERAZINE, 263n,276q; ther.,vet.,276v
SULFAPYRIDINE,263n; eff.,180q,349-1; tox.,193i, 356g
SULFAQUINOXALINES,164n
SULFATHIAZOLE, carboxy-,201q; eff.,325h; phthalyl,300s; ther.,179n,368a; tox.,320s
SULFATION,164-1,m
SULFHYDRYL,336i; eff.,258u
SULFITES,330-1
SULFONAMIDES, admin.,292q,361o; allergy, 250-1; antagonisms,337e; chem.,285p,286j,321g; determ.,184v,312h,383h; eff.,162e,184q,229d,e, 252c,257f,294k,349-1; metab.,252-1,293g,334b, 334c,d,335b,355a; production,384f; ther.,265-1, 324b,369h (in ophthalmol.,355a),(in pediatrics, 324h),(in surg.,273h); tox.,250d,255e,305h,358m
SULFONATION,164b
SULFONES,164d,324b; promizole,390t
SULFUR, determ.,192d; metab.,335w
SUMEDINE,342s
SUNFLOWERS, tissue cult.,232n
SURAMIN,232j
SURFACE ACTIVE COMPOUNDS,252b
SURFACES,308u,343e
SURGERY,195h,253j,366m; cpl.,176c,219w,357v, 393w; exaggeration phenomena,328g; geriatric, 270f,272k; history,221u,316u; large,223c; minor, 219u; operating rooms,182d,312i; plastic,176q, 181g,193a,216j,220d (institutes,357e); postop. care,172f,177j (diet,251j) 268u,270v,272k,300c, 305t,310p,328o,376o; postop.cpl.,176j,177f, 216v,219s,220s,222k,250-1,251j,269q,299k, 300u,310p,q,328g,356v; preop.care,328f; principles,190f; societies (Internat.Soc.Surg.,393t); specialism,363g; technic (vertical traction,216w); veterinary,276e,277d,278p
SUTURES,323i; catgut,217m, cotton,365d; steel wire,199p
S-W BASI-COP,281h
SWAMP FEVER, 241-1
SWEATING, 326c; disorders,299g
SWIMMING & SWIMMERS,266e; eff.drugs,265v
SWIMMING POOLS, 266d
SWINE, dis.,275v,276d,277i,278a,399n; feeding,398u
SWINE ERYSIPELAS,278o
SYCOSIS, 235-1
SYMMERS DISEASE,341h
SYMPATHECTOMY, indic.,222i
SYMPHYSIS PUBIS, separation,170h
SYNOVIAL MEMBRANES, infl.,244n; tumors,199d
SYNTROPAN,204r,219p
SYPHILIDS,235b,k,244b; ther.,180o
SYPHILIS, blood,398f; bone marrow,353w; congenital,207q,208g,224-1,m,n,359v,381g,i,j; diagn., 236h,244b,353w; epidemiol.& statist.,310d, 341b,342f,g,i,k,l,388i; history,291c;hospitals, 238p; immunity,223u,295q; in inf.& child.,208w, 234u; in pregnancy,292p,359v; optimal zone reaction,234v; pathol.,195p; pub.health asp., 190j; reinfection,247i; serodiagn.,236e,241m, 244b,274s,275h,295q,353w,398e (macroscopic, 177f); social asp.,368v; tertiary,195p,340c; ther., 178e,181b,189n,190k,192n,195-1,236g,240n,262b, 285m,328u,w,331g,342t,353u,354p,381j,398d; transmission,223u; virus,353w
SYRINGOMYELIA,375a; cpl.& seq.,261o
TABES DORSALIS, cpl.& seq.,261p,367-1
TABLE, surg.,312i
TACHARDINA,321a
TALC, injur.eff.,270q,393g,m
TALLOW, chem.,337c
TAMARIND, 320v,w
TANNIN, eff.,334m
TANTALUM, 190m
TAPEWORM INFECTIONS, appendix,269f; larval infect.,358c; ther.,276p
TARAXACUM,186e
TARSUS, dislocations,394j
TASTE,333e
TEETH,337h; anat.& histol.,196u,288n,289g; artificial,337o; bacteriol.,288u; caries,166-1, 167m,189v,233e,234-1,250c,288i,j,r,s,u,v, 289a,b,d,290c,s,337j,338j,m; chem.,288r, 289f,337k; deciduous,288j; development,166v, 234g,i,287c,u,288b,l,w,289f,p,290b,337t, 339k (in animals,279v; diet rel.,233s,255s, 287v,289v,290v,344s; dis.,166p,167i,288h,289b, 338r,s; eff.heat,167p; extraction,287t,v,289d; filling,290d,g; fractures,233r; hygiene,233t, 338g; innervation,233j; malocclusion,166e, 167q,287r,s,289i,290h,339j; metab.,289h, 290e; opalescence,289u; pathol.,206s,337i; pigmentation,289f,337k; prostheses,166t, 167a,167h,233c,g,k,m,234a,255t,u,287e,n,o,p, 287t,289m,290d,q,v,320g,l,338d,h,k,n,339f,g; pulp,289m; racial asp.,288j; reimplantation, 234b; root canal ther.,286s,u,289g; tumors, 234e,f
TELANGIECTASIS,375r
TELEGRAPHERS,212-1
TELEPATHY,385j
TEMPERATURE, eff.,282g,h,331o
TEMPERATURE, BODY,283i; in tropics,241c
TENDONS, anat.& histol.,273d; surg.,217e,307v, 382c; transplant.,394k
TERGITOL-7, 258n
TESTIS, anat.& histol.,332b; cancer,197r; degen.& regen.,225d; dis.,176f,187e; ectopic, 330g; infarction,320m; physiol.,282c,332b; tumors,274m,270u,292d,391w; undescended, 327r,s,t,392u
TETANUS, bacilli,332t,u; cephalic,353t; in animals,277m; in newborn,263c; prev.& control, 297c; ther.,209a,248s,298s,331h; toxin,228f, 332r; toxoid,209n
TETRACAINE, tox.,380c

TETRYL, tox.,351b
TEXTILES,344k
THEILER'S VIRUS,230f
THERAPEUTICS,304b,305h,307k
THERMOMETERS, history,321j
THERMOTHERAPY, 185r
THIAMINE,247k,344b; defic.,265k; determ.,201j; eff.,321m,325h; metab.,183m,n,257o; sources, 331o; therapy,302p; uses,162q
THIAZAMIDE,341i,j
THIAZOLE, eff.,325h
THINNESS, etiol.& pathogen.,245h; ther.,186g
THIOCYANATES, tox.,352h
THIOL,335k
THIOSULFATES, metab.,326a
THIOURACIL,246d,371i; eff.,291w,326m,373m; ther.,301u,368-1; tox.,206e,291v
THIOUREA,165v; eff.,348f; tox.,211d,251p
THIRST,316p
THOMPSON-EMMETT TEST,249k
THORAX, blood vessels,268w,273e; deform.,269w; dis.,314m; exam.,313a; murmurs,357s; pain, 396v; roentg.,173i,241d; surg.,187d,198p,199p, 216-1,219q,271-1; tumors,314n; wounds & injur.,269u,271j,n,300m,333r,366t,372f
THOROTRAST, tox.,220q
THREONINE, determ.,165e
THROAT,203p; bacteriol.,228h; infections,193p
THROMBIN,351i,371c; antithrombin,332-1; inactivation,257w
THROMBOANGIITIS obliterans,392p
THROMBOPHLEBITIS, cpl.& seq.,198m; etiol.& pathogen.,318t; migrans,184k
THROMBOPLASTIN,283u,v
THROMBOSIS,195e,211u; aortic,220i; axillary, 311d; cardiac,283k,333-1; caval,274d,e; cerebral,311d; coronary,163j,182a,368p; etiol.& pathogen.,182h; postop.,397t; prev., 305o; sinus,180n,218u,240j,241f,261u,311d, 323f; subclavian,311d; thebesian,283k; ther., 190g,220g
THUMBSUCKING,377t
THYMINE,248e
THYMUS, atrophy,252n; hypertrophy,247h; persistance,352s; surg.,217w
THYROID, cancer,253h,359h; chem.,291q,331r; dis.,179b,181i,303j,320j,327h; echinococcosis, 311w; eff.drugs,297g; hypertrophy,181i,182o, 184e,196r,198n,204j,246d,249u,302p,312n, 368i,392u; hyposecretion,189-1,352h; pathol., 206v,291t,v,327d; pharm.,257f; physiol.,183v, 291p,326m,330g,h,382t; surg.,221p,251c,368i; 307r; tumors,258p,317v
THYROXINE, antagonists,335i; determ.,331r; eff.,257f,289q,r,291p,321g; metab.,284m
THYSANOPTERA,279p
TIBIA, fract.,244s
TICK PARALYSIS,389u
TICKS,396o
TIME SENSE, disorders,260w
TINNITUS aurium,353j
TISSUE, chem.,257m,336-1; cult.,232n,355d; digestion,273a; extracts,232n,386u; respiration,201w,284s,334q,355e,374i
TOBACCO, dis.,295r; eff.,312g; tissue cult., 232n
TOMATOES,331p,345g; dis.,176v
TONGUE, cancer,249o,359i; syphilis,341m; tumors,359i
TONSILLAR AREA, tumors,359j
TONSILLECTOMY, anesthesia,302a,360h; cpl., 318t,322o; hemorrhage,185i; technic,249g
TONSILS, cancer,313d; infections,167i,368u
TORNADOES,294o
TORTICOLLIS,ocular,243s
TORULOSIS,175m,n; exper.,175g
TOURNIQUETS, injur.eff.,397m
TOXEMIA, alimentary,179n
TOXINS,226p,q,230q,332r,348i,349h; detoxification,177c
TOXOPLASMOSIS,199f; human,359s
TRACHEA, intubation,269n; tumors,369q
TRACHEOTOMY, in inf.& child.,194o
TRACHOMA, etiol.& pathogen.,204j
TRAUMA,306s; psychic,375t
TREES,163a
TREMATODES,247o
TREPHINING,281d
TRICHLOROETHYLENE, tox.,173h
TRICHOMONIASIS,380o
TRIDACNA,258d
TRINITROPHENOL, tox.,386c
TRITICUM,169t
TROPICAL MEDICINE,188c,306a,308c,310c,311a, 358o,360d,369-1; congresses,224c; in Colombia,187n; prev.,273w; roentg.,392-1
TROPICS,241c
TRYPANOSOMIASIS,275i; ther.,175u
TRYPANOTOXYL,275i
TRYPSIN,183r; inhibitor,248g
TRYPTOPHANE,325u; free,336d
TSUTSUGAMUSHI DISEASE,265o; diagn.,230v, 265p; epidemiol.& statist.,189h,265o; prev. & control,187w
TUBERCLE BACILLI,191c,195c; bovine,358e; chem.,349b; cult.,162j,236o; morphol.,257g; streptomycin sensitivity,229j; types,348k
TUBERCULIN,191h,349b; eff.,276q,348f; ther., 209w
TUBERCULOSIS,255g; allergy,191j,348f,n,r; avian,275t; bacteremia,191c; blood,348v; bovine,207j,276q,358e; Calmette-Guerin immun.,182m,195c,304o,348r,357n;386v; cpl.& seq.,223s,318m,370r; concurrent dis., 207j; contagiosity,303i,386b; diagn.,195c, 244v,348v; epidemiol.& statist.,187o,194w, 195a,211m,239t,241d,296n,315f,357r,358e; etiol.& pathogen.,397d; exper.,348f; family relations,175v; heart weight,207a; history, 190o; hospitals,238c,240c; immunity,348v, 349b,358v,368q; in armed forces personnel, 264s,353c,371m,n; in inf.& child.,388i; in nurses,371k; in pregnancy,255d; in prostitutes,259o; in students,240c; in veterans, 388t; industrial & traumatic,349v; miliary, 249c,366v; osteoarthritic,268c; pain,244a; pathol.,191f; porcine,275t; prev.& control, 194w,195a,209h; 213d,245a,249d,307a,d, 315m,315v,349q,v,370h; psychol.asp.,323-1; reinfection,303i; sanatoriums,213s,307f; social asp.,350c; ther.,195c,196v,215k,228c, 229i,249c,307f,342u,348f,354n,358v; tuberculin reactions,191g,o,330q,348n
TUBERCULOSIS, PULMONARY, acute afebrile miliary,305g; artificial pneumothorax,242r,314-1, 362u; blood,311o; cavitation,185u,271j,367p, 397a; cpl.& seq.,224a,242r; diagn.,195c; etiol.& pathogen.,372d; history,244e; in infants & child.,190w; pain,396v; prognosis, 301q; rehabilitation,173m; roentg.,178n,388k; surg.ther.,195a,217-1,219n,250q,255d,270-1, 271-1,370t; ther.,196v,312r
TULAREMIA, 301-1; bacilli,162q,226t,227-1, 236p; diagn.,252g; epidemiol.& statist.,242n, 265m,310b; eyes,204m; immunity,230-1; ther.,229g
TUMORS, adenoacanthoma,365i; adenoma,193e, 220g,245-1,258p,317v,365j,371i,397e; angioma, 204n,216m,270-1,r,271k,341m,352t,367a,375r; angiopericytoma,235m; chondroma,271h,313f,

TUMORS
327i,363u; chordoma,261a; chloroma,198f; dermoid,240k,333m; diagn.,175u; endothelioma, 218-1,397q; ependymoma,323g,374v; epithelioma,267r; etiol.& pathogen.,286m; Ewing's,268g; exper.,306j,323s,324c; fetal,300o; fibroma,267l, 267s,269f,341q; fibromyoma,268f; giant cell, 223e,326v; histiocytoma,340w; in animals, 276b; in infants & child.,262o; lipoma,397i; lymphoma,177h,270d; malanoma,271a,359a, 360c; metab.,334m; mixed,313d,356c; myeloma,189o,v,240i,305w,345m,n; myeloplaxoma, 314b; myxoma,205o; neurilemoma,178g; neuroepithelioma,378q; neurofibroma,178g, 270c; neuroma,261k; oil,341w; osteochondroma, 269e; Pancoast's,369g; perithelioma,314d; plasmocytoma,220c,232g; psammoma,218-1; schwannoma,217r,393o; synovioma,199d; teratoma,202t,207d,270u,391w; thorotrastoma, 220q; vertical traction,216w; virus,323s
TURKEYS, dis.,228r,277a
TURPENTINE, tox.,340a
TWINS,anaphylactic shock,246c; exper.,225o
TYMPANY, ruminal,279j
TYPHOID, avian,399t; bacilli,162o; cerebral, 314r; carriers,206e; cpl.& seq.,219a; diagn., 206e,355w; epidemiol.& statist.,246m,304t, 387j; mortality,391b; therapeutic,184t; therapy, 176-1,386u
TYPHUS, cerebral,242k; cpl.& seq.,191g; congresses,180h; diagn.,180p; epidemiol.& statist., 180p,191q,255c,265s,353d,372j,396i; etiol.& pathogen.,242r; exper.,192v; immunity,172n, 265s; in armed forces personnel,353h,352w; pathophysiol.,191a; research,180g; ther., 386u; transmission,229m
TYRAMINE, metab.,325i
UDDER, infl.,276o,w,278t,398n,400b
ULCERS,203t,309a,310b,341p; etiol.& pathogen., 234k; surg.ther.,340t; ther.,163-1,174v,235u; tropical,309b
ULNA, fract.,328a
ULTRAVIOLET RAYS,211p,254t; bacteriol.,348e; eff.,230j,231-1; injur.eff.,378p
UNDULANT FEVER,389c; cases,194s; cpl.& seq., 302d,353j
UNRRA,187g,377q
URACHAL REGION, tumors,218v
URACIL, methyl,248e
UREA,247k,284o; metab.,284n; ther.,376u
UREASE,295g,334h
UREMIA,etiol.& pathogen.,272d,314e; extrarenal, 241b; ther.,304n
URETERS, abnorm.,263a,333r; calculi,397k; catheterization,366d; dilatation,221s; dis., 397i; surg.,190e; transureteral stone extraction,397k
URETHRA, abnorm.,397t; catheterization,274p; cysts,370r; dis.,231t,274m; infl.,240g; roentg., 177k; stricture,328v
URIC ACID,285j
URINARY TRACT, calculi,271d (in animals,276r); cancer,206h; dis.,311i; infections,189d,216n, 274o; roentg.,267p,308b,317r,354s
URINATION, disorders,187f,192b,237u,272d,301g, 314e,375f; in inf.& child.,209s; incontinence, 274-1
URINE, bacteria,179j,181w; Bence-Jones albuminuria,284t; creatine,330f; cystine & cysteine, 301t; histamine,332n; ketone bod.,363a; lipase, 306g; pentose,315g; suppression,192i,305h; tryptophane,336d
UROLOGY,397t; geriatric,346e; psychosomatic problems,397u; surg.,190e,223s,t,397j; therapeutics,274k
URONIDES,164j
URTICARIA,171n; pigmentary,340c
USTILAGO,329u
UTERUS, abnorm.,221a,292s; adnexa,170m, 190m; cancer,170j,186b,219g,232d,e,245u,246i, 268d,271f,299q,310r,346n,359s,369i; cervix, 304c; curettage,293w; dis.,362a; displacements, 181p,244g; electrophysiol.,292u; excision,246-1, 299s,309h,368m; fibroma,177p,185r,221a,267i, 267s,268s,269f,294b,341q; fibromyoma,299f; hemorrhage,207o,246-1,268s,292s,294b,364h; inversion,170k; myoma,293q; prolapse,188h, 292n,293-1; roentg.,219g; rupture,245m,299q, 305g,311c; torsion, in animals,276u; tuberculosis,170k,170m,316m; tumors,365i
UVEA, metab.,355e
V-187, 324b
V-335, 324b
VACCINES, eff.irrad.,348o; inactivated,230j; production,396f
VACCINIA, virus,172m,176t
VACUUM, gauge,321w
VAGINA, diagn.smear,245u,293p,310r; dis.,191n; exam.,362r; mycosis,293c
VALINE,325u
VALLI, Eusebio,171c
VARICOSE VEINS, exam.,268t; ther.,328-1
VAS DEFERENS, abnorm.,399p
VASOMOTOR SYSTEM, dis.,393b; eff.drugs,232j
VATER'S AMPULLA, tumors,327-1
VEINS, azygos,359f; exam.,268t; femoral,190h; iliac,365s; obstruction,222i,333k; rupture in animals,278p; saphenous,268w
VENAE CAVAE, surg.,365s
VENEREAL DISEASES, epidemiol.& statist.,213u, 275g,328t,,341a,342h,j,m,386f; history,328v; in armed forces personnel,200d,g; in pregnancy,325p; laboratories,398c; legislation, 389o,p; prev.& control,224f,j,k,o,264t,274u, 275a,b,f,309g,315-1,387j,398i; social asp., 212j; ther.,364f
VENOMS,325p,334n; eff.,349g
VERRUCA,234s
VERATRUM, metab.,334e
VERTICAL TRACTION,216w
VERTIGO, 189-1; aural,261-1,357p,359o,374p; ther.,379w,380a
VETERANS,348a,390w; dis.,246p,253o; med. care,310-1,311e,388t,393t; psychiatry,187w, 189b,259m; rehabilitation,350i
VETERANS' ADMINISTRATION,269q
VETERINARY MEDICINE,275p,276v,278r,279h, 399n,o; educ.,279b,399v; in Greece,276t; in Philippines,276m; military,277d,f; pharm., 263j; pub.health asp.,398r; war research, 276i
VETERINARIANS, dis.,277m
VIBRATION, threshold,395h
VINYL SULFIDE,164h
VIOLA,370h
VIRILIZATION,239m
VIRUCIDES,196r
VIRUSES,172m,176t,229w,230b,277s,306d,348m, 383w; bacterial,329h,i,j; dis.,181j,229s,230d, 315a,318a,322o,323s (in plants,176v); concentration,295r; cult.,231a,295n; eff.irrad.,348o; inactivation,176v; preservation,349m; rel. to bacteria,231i,298p; viability,298m; West Nile,230c
VISCERA,evisceration,326b,362r; innervation,285g, 285h; transposition,192k,320b
VISCOSE,350s
VISION,201n; in naval personnel,199u; industrial asp.,351a,379m; physiol.,257p; protection, 379p; tests,205a,g,379t

VITAL CAPACITY,297s
VITAL STATISTICS,390p; birth rate,391a; in Alabama,266h; in Arizona,266h; in Arkansas, 266i; in California,266i; in Connecticut,266j'; in Delaware,266k; in District of Columbia, 266k; in Eire,387r; in Florida,266-1; in France,297a,316c,349u; in Georgia,266-1; in Idaho,266m; in Illinois,266m; in Indiana, 266n; in Iowa,266n; in Kansas,266o; in Kentucky,266o; in Michigan,266p; in Minnesota, 266p; in Mississippi,266q; in Missouri,266q; in Montana,266r; in Montserrat,215p; in Nebraska,266s; in Nevada,266s; in New Hampshire, 266t; in New Jersey,266t; in New Mexico,266u; in New York,266u; in New Zealand,390n; in North Carolina,266v; in North Dakota,266v; in Ohio,266w; in Oregon,391e; in Pennsylvania, 267a; in Peru,264u; in Rhode Island,391f; in South Carolina,391f; in South Dakota,391g; in Tennessee,391g; in Texas,391h; in Utah,391i; in Vermont,391i; in Virginia,391j; in Washington,391j; in Wisconsin,391k; in Wyoming, 391-1; institutes,352m; international,387i; morbidity,174f,298h,315s,387o; mortality, 191v,194c,267c,349u,391a,b
VITAMINES,168d,e,233s,291-1,321m,344b,348u; A, 167r,198j,334i,398s; antivitamines,355c; B, 165j,k,m,v,166a,184p,187-1,193c,194p,201k, 201-1,226n,v,236t,284d,287v,290f,291h,291i, 291s,311j,329p,334o,343r,344b,w,373p,375d; D, 166-1,354n; deficiency,285h,311g; E, 257g,258q,263g,282k,285g,289v,334v,343s, 398p; K, 286p,320s; standardization,201i; ther.,299j,358r
VITELLINE DUCT,220f
VITREOUS HUMOR,378m
VOCATION, guidance,212j,385o
VOLES,306h
VOLTMETER,321w
VULVA, adhesions,353-1; cancer,365o; mycosis, 293c; pathol.,342o
WAR,171a; bacteriological,325o; dis.,241d,246p, 264s,311a,313b,315s,317i,318p,319h,320o,352w, 353h,369-1,372k,388t,396p; military government,161k; nutrition & food supply,168a,e, 213u,236t,242f,250a,276t,300-1,315p,r,324i, 343c,344j,353m,363e,f; prisoners,168e,171a, 187-1,192v,231u (dental serv.,233p) 240d,e, 241d,308w,309a,b,c,d,e,313b,315q,319a,338s, 353m,363d,e,372i,386s; psychol.asp.,194i, 250o,259d,n,u,296d,353e,357j,374e,385d,n,o,r; pub.health asp.,174f,246o,247f,304h,350n (in Greece,187g); social asp.,257i; statistics,318o, 391a
WATER, bacteriol.,216a,227u; lake water (Neuchâtel, 344k); metab.,308t,326c; mineral,182n, 243k,395e,r (Vichy,307o); sterilization,273v; supply,216e
WAX,210m
WEBER'S DISEASE,352t
WEEDS,281j
WEIGHTS & MEASURES,165h,201t; metric system,389d
WELDERS,234a
WETTING AGENTS,201s,204o
WHARTON'S DUCT,166q
WHEAT, dis.,330a; germ,173k,343q,344s
WHIRLPOOL,318u
WHOOPING COUGH, bacilli,230v; immunity,359u, 390h; ther.,185w,195n; vaccine,246c
WIRE,397j; -netting,393a
WIREWORMS,257h
WOFATITE,344n
WOMEN,248g,398h
WOOL,399f
WORK,325v,326j,349s; ergography,201s; hygiene, 184h
WORKMEN'S COMPENSATION,237c,298b,315d, 379h
WOUNDED, psychiatry,259p; transportation,320n
WOUNDS,323b; cpl.,261m; forensic asp.,243i; gunshot in animals,277f; healing,270f,331q, 340s; infection,182j,272s,273c,h,319j,329o,332t; thoraco-abdominal,269u,271n; therapy,216u, 221b,250-1,256n,o,273a,318u,372g,397j
WRIST, dislocations,269c,394-1
XANTHINES,392u
XANTHOMA,235k
XENOPUS TEST,292d
YEASTS,classific.,226k; cult.,321-1,m; enzymes, 334g; extracts,232n; in diet,168b,178i; metab., 200w
YELLOW FEVER, epidemiol.& statist.,247q;322f; prev.& control,319s; transmission,273p; virus, 230c
ZINC, eff.,354b; oxide,166j,324r
ZYGOMATIC ARCH,279v